Heathrow Scientific

2014



Heathrow Scientific

design

Welcome to the 2014 Heathrow Scientific Catalog

Inside you will find hundreds of quality laboratory solutions available through our distinguished group of worldwide distributors.

We are proud of the many new items you will discover including our newest equipment addition the **SeaStar® Vortexer** (page 3). Because of the unique head design there is no longer the need to swap out head units.

We have extended our line of
Work2Store™ expanding racks. The
new Work2Store™ Micro (page 13) not
only expands, it is reversible as well.
Load up 64 micro tubes (0.5 mL) on
one side or flip it over and load up
the reverse side with 96 micro tubes
(0.2 mL). Either side incorporates
the expanding feature of this rack to
reduce sample handling time.

From concept to completion, we look forward to making products that offer design, function and innovation for laboratory professionals everywhere.



function innovation





Mixing/Centrifugation

High-quality instruments, with advanced features for a vast range of protocols.



Sea Star® Vortexer

Multi-purpose, maximum convenience

This sleek and modern designed vortex mixer is capable of meeting the mixing requirements of the most popular consumables used in today's lab without the need to swap out head units. The truly innovative design makes maximum use of the space available, providing holding slots for no less than five different sizes of tube and a standard assay plate, while the traditional center cup can be used for quick hand-held mixing of a vast range of tubes and vessels.

- Variable speed rotary dial provides finite speed control during vortex mixing
- Stable elastomeric device feet, provide vibration dampening and prevent movement during operation
- Innovative head can be removed for cleaning purposes
- · High impact ABS body shell

holding slots for no less than five different sizes of tube and a standard assav plate













part no.	description	
HS120209	Sea Star® Vortexer 90-110V AC, 50/60 Hz	П
HS120212	Sea Star® Vortexer 220V AC, 50/60 Hz	$\langle \bullet \bullet \rangle$
HS120214	Sea Star® Vortexer 220V AC, 50/60 Hz	1
HS120210	Sea Star® Vortexer 220V AC, 50/60 Hz	

Specifications

- Speed Range: Variable 500-3000 rpm (shaking to vortexing)
- Orbit: 4.2 mm
- Control: 3 position switch continuous, intermittent, manual, and off
- Weight: 8.5 Lb/3.8 Kg
- Dimensions: 173 W x 198 D x 198 mm H (with Headpiece in place)
- SGS-US-C, CE, CB Scheme, RoHS 2, PSE, and WEEE compliant
- Two Year Warranty

Holding capacity (plus a center cup)

- Assay Plate x 1
- 50 mL conical tubes x 2
- 15 mL conical tubes x 2
- 1.5/2 mL microfuge tubes x 4
- 0.5 mL microfuge tubes x 6
- 0.2 mL microfuge tubes x 24





(€ √RoHS2 X



Screw-Top Tubes with O-Ring Cap

Safer long term storage

Screw-on polypropylene lids with TPE O-Ring to create an excellent seal for secure storage.

- Clear polypropylene tubes provide excellent view of samples
- Skirted, self-standing base makes filling and retrieval easy
- Ideal for sample processing and storage application

Frosted writing area



TPE O-Ring to create an excellent seal for secure storage





part no.	volume	color	dimensions	noted graduations	max rcf rating	qty.
HS10060	2.0 mL	Natural	Max OD 13.3 mm Closed height 46.7 mm	0.5, 1.0, 1.5	18,000 x g	500/pk





Sea Star® Digital Orbital Shaker

Multipurpose compact universal shaker

The Sea Star® is packed full of high-end design features making it a versatile shaker for a vast range of protocols, yet very affordable.

- No-stop optical motor feedback, enables the unit to instantly adjust to weight load changes and unbalanced loads for truly reproducible results
- Suitable for use in incubators and cold rooms within the stated temperature range
- Soft-start feature reduces spill instances from full vessels
- A high weight loading of 4.5 kg, with an overload protection cut out
- Universal Hi-Lo platform and bungee cords allows you to create your own holding matrix for vessels of all shapes and sizes
- Back lit display is easy to read. Time and speed can be separately set
- Very low start speed for sensitive sample agitation, with a high top end and good stability for more vigorous applications
- Suitable for worldwide voltages 110–240V, supplied with 4 different plug types

part no.	description
HS4010A	Sea Star® Digital Orbital Shaker, 110–240 VAC, 50/60 Hz
replacement parts	
HS4010ARMT	Rubber Mat
HS4010ARBG	Bungee cords, pack of 8
HS4010ARPW	Universal Power Adapter

Specifications:

 Speed range: 20 to 300 rpm 1 rpm increments

• Orbit diameter: 19.2 mm

- Timer range: 0 to 49 hours, 1 second increments or continuous
- Maximum load: 4.5 kg
- Power: 110 to 240 VAC, 50/60 Hz with 4 interchangeable plug adapters
- Ambient conditions: 4° to 40°C; 20 to 80% RH, non-condensing
- Platform interior dimensions: 279 mm W x 279 mm D
- Overall dimensions:
 314 mm W x 183 mm H x 305 mm D
- · One-year warranty

Sea Star® Package includes:

- · Sea Star® Shaker
- Universal Hi-Lo platform
- Skid-free rubber platform mat
- 8 Bungee cords set
- Universal power adapter 110–240V 50/60 Hz, with 4 interchangeable plug types



Bungee cords allows you to create your own holding matrix for vessels of all shapes and sizes



Conical Centrifuge and Sample Tubes


Available in natural and pure black for light sensitive samples

Made from 100% virgin polypropylene, certified DNase, RNase and Pyrogen free and capable of withstanding high centrifugal forces. The natural colored tubes offer superior clarity, while the pure black version protects and prolongs the life of more light sensitive products.



Microtubes - 0.2, 0.5 and 1.5 mL

- Attached flat caps for easy one handed use, fully autoclavable
- 0.2 mL is suitable for Thermal Cyclers. The slender shape evenly distributes uniform heat
- 0.5 and 1.5 mL versions have a frosted writing area and a syringe pierceable cap







	part no.	volume	color	dimensions	noted graduations	max rcf rating	packaging
A	HS4423	0.2 mL	Natural	Max OD 6.9 mm Closed height 22.2 mm	None	15,000 x g	Bulk 1000/pk
В	HS4422	0.5 mL	Natural	Max OD 10.1 mm Closed height 31.7 mm	0.1, 0.3, 0.5	15,000 x g	Bulk 1000/pk
С	HS4323	1.5 mL	Natural	Max OD 12.9 mm Closed height 40.2 mm	0.1, 0.5, 1.0	16,400 x g	Bulk 500/pk
D -	HS4323K	1.5 mL	Black	Max OD 13.4 mm Closed height 40.06 mm	0.1, 0.5, 1.0, 1.5	18,000 x g	Bulk 500/pk
D	HS4325	1.5 mL	Natural	Max OD 12.9 mm Closed height 40.2 mm	0.1, 0.5, 1.0	16,400 x g	Bulk 1000/pk
Ε-	HS4426B	15 mL	Natural	OD 17 mm + 0.3 mm Length 120 mm + 2 mm	0.5 mL	11,000 x g	Bulk 500/pk (50/Bag x 10)
_	HS4426R	15 mL	Natural	OD 17 mm + 0.3 mm Length 120 mm + 2 mm	0.5 mL	11,000 x g	Racked 500/pk (50/Rack x 10)
F	HS4428	15 mL	Black	OD 17 mm + 0.3 mm Length 120 mm + 2 mm	0.5 mL	9,400 x g	Bulk 500/pk (50/Bag x 10)
G	HS4427B	50 mL	Natural	OD 29 mm + 0.3 mm Length 114 mm + 2 mm	5.0 mL	9,500 x g	Bulk 500/pk (25/Bag x 20)
G	HS4427R	50 mL	Natural	OD 29 mm + 0.3 mm Length 114 mm + 2 mm	5.0 mL	9,500 x g	Racked 500/pk (25/Rack x 20)
Н	HS4429	50 mL	Black	OD 29 mm + 0.3 mm Length 114 mm + 2 mm	5.0 mL	9,400 x g	Racked 500/pk (25/Rack x 20)
1	HS4427S	50 mL	Natural	OD 29 mm + 0.3 mm Length 114 mm + 2 mm	5.0 mL	9,500 x g	Racked 500/pk (25/Rack x 20) Skirted Self Standing

Large Capacity Tubes - 15 and 50 mL

- Lot-to-lot traceability with easy tear packaging
- Writing area and flat polyethylene lids for easy labelling
- Imprinted graduations and a self-standing version (only in clear bulk pack)
- Reusable card used for the racked versions, making them more environmentally friendly

disposable













Packaging features:

- · Easy-tear opening
- Labeled packaging for lot-to-lot traceability (Inner pack- clear tubes; case packs- black tubes)



Sprout® Mini-Centrifuge

SnapSpin[™] rotors for easy and fast rotor exchange.

The Sprout is ideal for quick spin downs, micro-filter cell separations and HPLC samples. It is compact, easy to use and comes with a host of extras.

- Small footprint and quiet operation
- Palm-shaped lid, suitable for left or right handed users—allows quick extraction of tubes
- SnapSpin™ Rotors are tool-free for a fast and easy exchange
- Weighted rubberized base eliminates potential movement and further dampens vibration and noise

Sprout® Package includes:

- Sprout® Mini-Centrifuge
- 6 place 1.5/2.0 mL tube rotor
- 16 place 0.2 mL tube rotor (singles, or 2 x 8 Strip)
- 6 tube adapters 0.2 mL
- 6 tube adapters 0.5 mL
- Storage case for rotors and adapters
- Tube rack
- Power cord

part no.	description plug type
HS10020	Sprout® II 110/120 VAC, 50/60 Hz
HS10021	Sprout® (••) 220/230 VAC, 50/60 Hz
HS10022	Sprout® 220/230 VAC, 50/60 Hz
HS10023	Sprout® 220/230 VAC, 50/60 Hz
replaceme	nt parts:
HS100011	6 place 1.5/2 mL tube rotor
HS100012	16 place 0.2 mL tube rotor





HS1000RG Replacement O-Ring

Storage case







• Dimensions: 153 x 128 x 104 mm

• One-year warranty





Tool-free rotor changes!

Gusto™ High-Speed Mini-Centrifuge

Maximum speed with minimal space

This compact centrifuge is ideal for protocols calling for fast spins with a higher RCF requirement. Ideal for PCR®, microfilter cell separation, clinical & diagnostic applications, and HPLC protocols.

- Compact footprint and brush-less motor for quiet operation and low vibration
- Select and set the digital speed display in xg or rpm
- Sample imbalance and tilt safety cut out
- · Safety interlock lid prevents opening while rotor is turning
- Back lit display showing time, speed and operational information on the same screen
- Quick-Spin button for short spin requirements
- Suitable for worldwide voltages 110 to 240V, supplied with 4 different plug types
- Made from UV-resistant plastic, increasing its useful life under harsh light conditions
- Double insulated construction
- Push button lid release
- · Manual override allows user to open lid in case of power failure



part no.	description
HS10050	Gusto [™] , 110-240 VAC, 50/60 Hz
replacement p	arts: II 🐽 📘 🔨
HS100501	Power Adapter
HS100502	Universal Power Cord Set
HS100503	12 place 1.5/2 mL tube rotor
HS100504	32 place 0.2 mL tube rotor
HS100505	Rotor Knob
HS100506	Rotor Cover for HS100503

Specifications:

- Speed: 500-12,500 rpm
- RCF: 15-9, 800 Xg
- Power: 110 to 240 VAC, 50/60 Hz with 4 interchangeable plug adapters
- Dimensions: 203 x 171 x 114 mm









www.heathrowscientific.com



Fube Racks

From disposable to interlocking racks and everything in between, we have you covered.

Universal Tube Rack

Ideal for firmly holding a wide range of tubes and vessels

Quickly change tube sizes with this adaptable polypropylene rack. Open the well with a turn of the knob or directly insert a tube into the opening.

- Holds up to 12 similar size tubes
- Imprinted references for easy identification
- Generously-sized handles for easy transport
- Accepts tubes and vessels from 16-30 mm in size
- Not recommended for cleaning in autoclave.
 Measures 194 x 140 x 51 mm

part no.	tubes	wells	color
HS24330A	15-50 mL	12	Blue





Grab Rack™

Rack features silicon grips to hold tubes in place

Turn the rack over and the tubes will not fall out! **Great for discarding liquids while tubes stay in place.**

- Tubes insert and extract with a gentle push or pull
- ABS rack with silicon griping fingers. No assembly required
- Not recommended for cleaning in autoclave
- measures 259 x 127 x 49 mm

part no.	description	tubes	wells	color
HS24371A	Grab Rack	16 mm	50	White

Hold and pour feature



Adapt-a-Rack™

Flexible Multi-Tube Rack

Capable of holding different size tubes in each available slot as the well literally adapts to your tube size to hold firming in an upright position. The design enables you to hold 12 mm to 30 mm (5 mL to 50 mL) tubes simultaneously and still allow full viewing of the tube label

- Racks can be linked together for additional holding capacity
- · Open sides allow for label viewing
- Flat base to hold tubes upright
- Linked racks should be supported underneath when carrying
- Available in solid or combination colors for application, end user or environment identification.
- Single rack measures 181 x 56 x 76 mm, two racks per pack

A autoclavable






www.heathrowscientific.com

Microtube Racks 80-Well

Popular fraction-collector-plate style rack

- Easily fill and transfer 80 tubes in compact arrangement (5 x 16 array).
- Polypropylene rack has molded-in coordinates to aid organization
- Measures 225 x 67 x 28 mm. Pack of 5





Acrylic Holder for Microtube Racks 80-Well see page 81



Interlock multiple racks to increase tube storage

- The tiered rack makes sample transfer and loading an easier process.
- Polypropylene racks connect to one another on either end.
- Finger slots are molded into the rack making them easy to pick up and move
- Lowest level holds individual 0.2 mL tubes or strips of 8 or 12 tubes.
- Middle tier holds 0.5 mL tubes
- Top tier holds 1.5 mL tubes
- Rack measures 164 x 123 x 62 mm. Pack of 6

A autoclavable

part no.	tubes	wells	color
	0.2 mL	24	
HS4289B	0.5 mL	14	*
	1.5/2.0 mL	12	

*Assorted colors: blue, green, natural, purple, yellow, and orange.

PCR® Racks Reversible

Removable hinged lid fits both sides

Flip this polypropylene reversible rack to the size of tubes you need.

Interlock for larger protocols

- PCR® side of the rack holds 8 or 12 x 0.2 mL tube strips or individual tubes
- Opposite side holds 0.5 mL tubes
- Both sides of the rack have 12 wells for 1.5 mL tubes
- Autoclavable. Measures 206 x 131 x 54 mm. Pack of 5

part no.	tubes	wells	color
	1.5/2.0 mL (both sides)	12	
HS2344A	0.2 mL (one side)	168	*
	0.5 mL (one side)	40	

^{*}Assorted colors: blue, green, pink, yellow, and orange.





Reversible Racks 96-Well

Easy-to-grasp tabs for sample handling and storage

Flip polypropylene rack from 96 wells for 0.5 mL tubes on one side to 96 wells for 1.5/2.0 mL tubes on the other side.

- Wells are arranged in standard 8 x 12 array
- Handy lid snaps into place via tabs on each end of rack
- 0.5 mL wells separated by molded-in grid lines, making them easier to see
- Raised rings around the 1.5 to 2.0 mL wells make tubes easier to remove
- Rack measures 246 x 121 x 50 mm. Pack of 5

A autoclavable

part no.	tubes	wells	color
HS2345A	1.5/2.0 mL 0.5 mL	96	*
HS2345B	1.5/2.0 mL 0.5 mL	96	Natural
HS2345C	1.5/2.0 mL 0.5 mL	96	Blue
HS2345D	1.5/2.0 mL 0.5 mL	96	Green
HS2345E	1.5/2.0 mL 0.5 mL	96	Pink
HS2345F	1.5/2.0 mL 0.5 mL	96	Yellow

^{*}Assorted colors: blue, green, pink, yellow, and orange.



Tube Rack 20-Well

Interlock multiple racks to increase tube storage

Tubes sit high in the rack on two levels to help easily identify labeled tubes.

- Polypropylene racks lock together on each side
- Easily remove tubes using finger slot on front of rack
- Racks have large molded coordinates for easy tube identification
- Measures 213 x 90 x 50 mm. Pack of 6

A autoclavable

part no.	tubes	wells	color	
HS4284A	0.5/1.0/1.5/2.0 mL	20	Blue	



PCR® Racks 96-Well

Perfect for pre- or post-PCR® sampling

- Sturdy polypropylene rack accommodates individual tubes or strips of 8 or 12 tubes.
- Removable hinged lid lies flat
- Tube wells are easily identified with embossed numbers and letters
- Autoclavable. Rack measures 130 x 98 x 33 mm. Pack of 5

part no.	tubes	wells	color
HS23461A	0.2 mL	96	*
HS23461B	0.2 mL	96	Natural
HS23461C	0.2 mL	96	Blue
HS23461D	0.2 mL	96	Green

^{*}Assorted colors: blue, green, pink, yellow, and orange.





50-Well Microtube Storage Boxes

Ideal for sample or case study storage

For smaller storage requirements of 1.5/2.0 mL microtubes or cryogenic vials.

- Easy-open hinged lid with snap clasp
- Measures 142 x 89 x 56 mm
- Pack of 5

A autoclavable

part no.	tubes	wells	color	lxwxh,mm
HS120032	1.5/2.0 mL	50	Natural	142 x 92 x 56
HS120033	1.5/2.0 mL	50	*	142 x 92 x 56

^{*}Assorted colors: blue, green, purple, yellow, and orange.

81-Well Microtube Storage Boxes

Compact footprint for microtube and cryogenic vial storage

Store 1.5/2.0 mL microtubes or cryogenic vials in polypropylene storage boxes, with an easy open, friction fit lid.

- Black light tight version available for light sensitive samples
- Measures 130 x 130 x 47 mm and will fit into most standard freezer racking
- Pack of 5

A autoclavable

part no.	tubes	wells	color
HS120034	1.5/2.0 mL	81	Natural
HS120035	1.5/2.0 mL	81	Blue
HS120036	1.5/2.0 mL	81	Green
HS120037	1.5/2.0 mL	81	Pink
HS120038	1.5/2.0 mL	81	Yellow
HS120039	1.5/2.0 mL	81	Orange 📙
HS120040	1.5/2.0 mL	81	*
HS120041	1.5/2.0 mL	81	Black






Secure storage for microtube and cryogenic vials

For larger storage requirements of 1.5/2.0 mL microtubes or cryogenic vials.

- Black, light-tight version available for light sensitive samples

part no.	tubes	wells	color	
HS120042	1.5/2.0 mL	100	Natural	
HS120043	1.5/2.0 mL	100	Black	
HS120044	1.5/2.0 mL	100		*
HS120201	1.5/2.0 mL	100	Blue	
HS120202	1.5/2.0 mL	100	Green	
HS120203	1.5/2.0 mL	100	Yellow	
HS120204	1.5/2.0 mL	100	Orange	



Designed for quick visual identification

- Uniform wells with location ID
- Tube capacity is indicated on the outside of the box
- Translucent vibrant colors with a frosted labeling area
- Debossed with a distinctive wave design

Manufactured out of polypropylene





Work2Store™ & Work2Store™ Micro Expanding Storage Boxes

Single rack, double function

Reduce sample handling time and the need for several racks when working with samples for cold temperature storage. Patent-pending opening and closing mechanism allows the rack to expand, creating needed room for sample manipulation. Then simply collapse the rack back to its compact form and it is ready for the freezer. Temperature range -80 to 121°C. Two versions now available the original for holding 1.5/2.0 mL cryo and micro tubes and now the new Micro reversible version for holding 0.5 mL and 0.2 mL tubes (see below)

- · Instantly creates more working space
- Helps reduce potential cross contamination
- Stops opened microfuge lids from interfering with other wells
- Stackable, autoclavable and with alphanumeric well identifications
- Will fit into standard 2" (53 mm) freezer racking

Work2Store™

- Clear lid locks the rack together for safe handling and transportation
- Wells have a center depression to stabilize conical tubes and a cryogenic vial lock for one handed cap removal
- Holds 64 x 1.5/2.0 mL cry and/or micro tubes

A autoclavable

part no. description wells tubes open, mm closed, mm (with lid)

HS120018 Work2Store™ 64 1.5/2.0 mL 310 x 128 x 33.5 133 x 133 x 53

See Work2Store™ in action

Work2Store™ Micro 0.2 mL tube side has been configured to work 8 strip, 12 strip or single tubes A low profile clear lid fits either side and locks the rack together for safe handling and transportation.

Reversible rack which will hold 64 x 0.5 mL micro tubes on one side and 96 x 0.2 mL micro tubes on the other side.



96 x 0.2 mL

64 x 0.5 mL

part no.	description	wells	tubes	open, mm	closed, mm (with lid)
HS120183	Work2Store [™] Micro	64	0.5 mL	310 x 128 x 31	133 x 133 x 48
		96	0.2 mL		





Cardboard Micro Tube Boxes

Safe micro tube storage

These low profile boxes are available in two sizes to accommodate standard 0.5 mL and 0.2 mL micro tubes and vessels of a similar size. They are designed to ensure that the tubes contained will remain in their appointed well even if the box is tipped or knocked when the lid is in place. They come complete with well dividers in packs of 10

- Store in mechanical freezers or vapor phase LN₂*
- · Will fit into most standard freezer racking
- 0.2 mL tube (9.5 mm max) version has 169 wells in a 13 x 13 format
- 0.5 mL tube (12 mm max) version has 100 wells in a 10 x 10 format

part no.	description	tubes	wells	l x w x h mm	qty.
HS120220	Cardboard Micro Tube Boxes	0.2 mL	169	133 x 133 x 29 mm	Pk/10
HS120221	Cardboard Micro Tube Boxes	0.5 mL	100	133 x 133 x 41 mm	Pk/10

^{*}Only tubes capable of being stored at the low temperature required must be used.

NEW


Flatpack Freezer Boxes

Reusable, economical and moisture resistant plastic

These easy self-assemble boxes come flat-packed, ensuring valuable lab space is not taken up storing the boxes before they are needed. Made from corrugated polypropylene, they are more durable than card boxes as they are not susceptible to moisture, so they can be frozen and thawed numerous times without a problem.

- Flat shipped boxes for convenient storage and quick assembly.
- Pre-assembled dividers included with the boxes.
- Store down to temperatures of -80°C
- Holds 81 x 12 mm (max. diameter) tubes in a 9 x 9 format
- Complete with well dividers in packs of 10

part no.	description	tubes	wells	l x w x h mm	qty.
HS120262	Corrugated Polypropylene Box with Dividers	12 mm	81	133 x 133 x 51 mm	Pk/10



Store down to temperatures of -80°C

Cardboard Cryogenic Vial Boxes and Partitions

For storage of small samples and tubes

Select the size of the box required and match the partition to your tube requirements.

- Store in LN₂, or in mechanical freezers
- Colors allow for easy identification and sorting purposes
- Bottom vent holes to allow quicker circulation and removal of cold air, vapor or LN₂
- All box footprints are 133 x 133 mm, select from two different heights. Pack of 12 (Order partitions separately)



part no.	tubes	color	height
HS2860A	Vial Box and Lid	White	50 mm
HS2860B	Vial Box and Lid	White	75 mm
HS2860C	Vial Box and Lid	*	50 mm
HS2860CB	Vial Box and Lid	Blue	50 mm
HS2860CR	Vial Box and Lid	Red	50 mm
HS2860CY	Vial Box and Lid	Yellow	50 mm
HS2860E	100-Cell Partition (10 x 10)	Max. tube dia. 11.5 mm	
HS2860H	81-Cell Partition (9 x 9)	Max. tube dia. 12 mm	
HS2860F	64-Cell Partition (8 x 8)	Max. tube dia. 15 mm	
HS2860G	49-Cell Partition (7 x 7)	Max. tube dia. 17.5 mm	

^{*}Assorted colors: blue, red and yellow





Foam Tube Racks

High storage, minimal footprint

Lightweight microtube racks are ideal for long-term studies or tube storage.

- Two-piece racks are constructed of expanded polystyrene (EPS) foam
- Extra spacing between wells allows easy gripping with fingertips
- · Racks stack securely with nesting features on lid and base

•	Holds	1.5	and	2.0	mL	microtube	es. Pacl	∢ of	10
---	-------	-----	-----	-----	----	-----------	----------	------	----

part no.	wells	l x w x h, mm
HS4282	100	336 x 95 x 73
HS4283P	50	210 x 110 x 71

Cardboard Tube Racks and Partitions

A low-cost way to organize your tubes!

Economy cardboard racks offer a quick and inexpensive solution with the added convenience of disposing after use.

- Write-on surface for descriptions or self numbering systems. Boxes measure 145 x 145 x 122 mm. Pack of 10 (Order partitions separately)
- Partitions supplied flat—packed for space-saving storage
- Partitions come in two sizes. Wells measure maximum of 17.5 mm and 29.5 mm dia. Pack of 10

part no.	description
HS2860M	15 and 50 mL Box and Lid
HS2860P	50 mL, 16 Cell Partition (4 columns x 4 rows)
HS2860T	15 mL, 36 Cell Partition (6 columns x 6 rows)

Transformer[™] Cube

For storage of large samples and 15 and 50 mL tubes

Robust, rugged polypropylene construction complete with two Snap-In grids

- Hold 15 mL and 50 mL tubes securely upright in deep grid wells
- Locate tubes easily with keyed lid, imprinted grid and first tube orientation
- Use without grids for larger sized product storage
- Fill with ice and use as a temporary low temperature workstation ideal for teaching labs or those with limited bench space
- · Clear lid, translucent sides and autoclavable



15 mL

50 mL

HS23271A

16



Purple

Holds either 15 mL or 50 mL samples

www.heathrowscientific.com

OneRack[®]

Test Tube Racks

Tough and more highly resistant to acids, bases, solvents and heat

These durable racks are molded in a single, continuous piece so no assembly required and there are no detachable pieces.

Delrin® fiberglass-reinforced polyoxymethylene (POM): Offers the highest chemical and heat resistance (-40 to +140°C)

• Autoclavable, available in half and full rack sizes for 5 tube diameters

Polypropylene:

Offers good chemical and heat resistance (0 to 110°C)

· Not recommended for autoclaving, available in the full 2 tube diameters

Both:

- Have molded coordinates for tube orientation
- Designed to be stable when used in water baths
- Have flat labeling area for easier identification
- Available in 5 different colors. Cases of 8





description	tubes	wells	l x w x h, mm	white	blue	green 🔲	magenta 📕	yellow
Full-Size Delrin® Racks A autoclavable	13 mm 16 mm 20 mm/15 mL 25 mm 30 mm/50 mL	72 72 40 40 24	104 x 202 x 59 127 x 250 x 70 100 x 252 x 83 120 x 300 x 92 110 x 282 x 85	HS27511A HS27512A HS27513A HS27514A HS27515A	HS27511B HS27512B HS27513B HS27514B HS27515B	HS27511C HS27512C HS27513C HS27514C HS27515C	HS27511D HS27512D HS27513D HS27514D HS27515D	HS120205 HS120206 HS120207
Half-Size Delrin® Racks A autoclavable	13 mm 16 mm 20 mm/15 mL 25 mm 30 mm/50 mL	36 36 20 16 9	104 x 104 x 59 127 x 127 x 70 100 x 127 x 83 120 x 122 x 92 110 x 110 x 85	HS27501A HS27502A HS27503A HS27504A HS27505A	HS27501B HS27502B HS27503B HS27504B HS27505B	HS27501C HS27502C HS27503C HS27504C HS27505C	HS27501D HS27502D HS27503D HS27504D HS27505D	
Full-Size Polypropylene Racks	13 mm 16 mm	72 72	104 x 202 x 59 127 x 250 x 70	HS27551A HS27552A	HS27551B HS27552B	HS27551C HS27552C	HS27551D HS27552D	

Delrin is a registered trademark of E.I. du Pont de Nemours and Company



Microtube Tube Racks

Reinforced nylon tube racks offering superior chemical and heat resistance over most other plastic based racks.

- Handles provide easy and safe transportation and allow racks to be stacked
- Two formats available for smaller and larger requirements
- Temperature range -40°C to +140°C

part no.	tubes	wells	l x w x h, mm	color	pk. size
HS120241	1.5/2.0 mL	24	143 x 90 x 52	Blue	8
HS120242	1.5/2.0 mL	24	143 x 90 x 52	White	8
HS120243	1.5/2.0 mL	96	210 x 131 x 54	Blue	4
HS120244	1.5/2.0 mL	96	210 x 131 x 54	White	4

Snap-Together Conical Tube Rack

Use 15 and 50 mL tubes simultaneously

- Shipped flat, easy-to-assemble ABS racks snap together securely
- Designed for stable use in water baths
- Alphanumeric grid reference aids for tube identification
- Wells measure a maximum of 17 mm and 28 mm dia
- Not recommended for cleaning in autoclave. Measures 207 x 171 x 61 mm

part no.	tubes	wells	color
HS24306	15 mL 50 mL	30 20	Orange




One-Well 50 mL Connecting Tube Racks

Interlock to cater for your personal requirements

Form a line of 50 mL tubes, or use as a single, stand-alone rack.

• Molded circular base ring keeps conical or round-bottom tubes in place



part no. HS23052





One-Well 50 mL Single Tube Racks

Low space tube holders for smaller requirements

Both racks hold conical- or round-bottom tubes.

Wire version:

- Epoxy-coated steel
- Base ring keeps tubes in place
- Measures 90 x 67 x 67 mm and sold as single units

Friction-fit polystyrene version:

- Slides smoothly across the benchtop
- Snugly fits tubes from 27.5 to 29.0 mm in diameter
- Measures 92 mm diameter x 30 mm high. Pack of 5

part no.	description	tubes	wells	color
HS23051	Epoxy-Coated Wire Rack A autoclavable	50 mL	1	Yellow
HS23053A	Polystyrene Friction-Fit Rack	50 mL	1	Blue



Pop-Up™ Racks

Close flat for compact storage! Ready for quick use!

Simple, easy-action to open and close—expand and collapse as racks are needed.

- Designed to help organize 15 and 50 mL tubes
- Imprinted grid aids quick retrieval
- Stack racks in open or closed position
- Saves space when racks are not in use!
- Robust polypropylene construction. Not recommended for cleaning in autoclave
- Measures 255 x 137 x 72 mm when expanded, 21 mm H when collapsed. Pack of 2
- 15 mL max tube dia. 17 mm
- 50 mL max tube dia. 30 mm

part no.	color	tube	wells
HS24320B	Blue	15 mL 50 mL	21 12
HS24320P	Pink	15 mL 50 mL	21 12
HS24318	Purple	15 mL	45
HS24319	Green	50 mL	18

Fold and Snap Test Tube Rack

Economical durable rack

- Ships flat in one piece
- Easy-to-assemble polypropylene racks fold and snap together
- Available in 4 different colors for 3 popular tube sizes

part no.	tubes	wells	color	l x w x h, mm
HS243073B HS243073W HS243073R HS243073Y	13 mm 13 mm 13 mm 13 mm	90 90 90 90	Blue White Red Yellow	245 x 105 x 63 245 x 105 x 63 245 x 105 x 63 245 x 105 x 63
HS243077B HS243077W HS243077R HS243077Y	17 mm 17 mm 17 mm 17 mm	60 60 60	Blue White Red Yellow	245 x 108 x 72 245 x 108 x 72 245 x 108 x 72 245 x 108 x 72
HS243071B HS243071W HS243071R HS243071Y	21 mm 21 mm 21 mm 21 mm	40 40 40 40	Blue White Red Yellow	245 x 108 x 72 245 x 108 x 72 245 x 108 x 72 245 x 108 x 72

Peg Racks

Strong, tough, versatile

Fiberglass reinforced polypropylene racks are ideal for bench work or tube storage.

- Spacious peg design allows easy viewing of tube contents
- Use as a drying rack for glass plates or upside-down tubes
- Pegs remain straight even after repeated autoclaving
- Embossed indexing, ribbed grips, and drainage holes
- Pack of 2

A autoclavable

part no.	tubes	pegs	color	lxwxh, mm
HS24311A	14-17 mm	50	White	188 x 104 x 69
HS24311B	14-17 mm	50	Blue	188 x 104 x 69
HS24312A	10-13 mm	96	White	82 x 126 x 69
HS24312B	10-13 mm	96	Blue	82 x 126 x 69



Mega Racks

High-capacity storage for your tubes

Fully-assembled, polypropylene Mega Racks are great for high throughput labs requiring large sample storage.

- Sturdy and light weight material for easy transport
- Alphanumeric identification for quick location and retrieval of tubes
- Place different test groupings into one rack and eliminate need for multiple racks
- Singles measures 337 x 267 x 91 mm
- Doubles measure 673 x 230 x 80 mm (10–13 mm) & 521 x 260 x 89 mm (13–16 mm)

part no.	description	size	wells	color
HS24322A	10-13 mm Tube Rack	single	216	Blue
HS24322E	10–13 mm Tube Rack	single	216	White
HS24323A	13–16 mm Tube Rack	single	120	Blue
HS24323E	13–16 mm Tube Rack	single	120	White
HS120113	10–13 mm Tube Rack	double	432	White
HS120112	10-13 mm Tube Rack	double	432	Blue
HS120115	13–16 mm Tube Rack	double	240	White
HS120114	13–16 mm Tube Rack	double	240	Blue



Single Mega Rack



Rota-Rack® Duo Tube Rack


Dilution and concentration studies made easy!

Transfer solutions between 0.2 mL PCR® tubes and 0.5 and 1.5 mL micro centrifuge tubes.

- Rotate and customize to suit your application needs. 4 combinations possible
- Blue section holds 48 x 0.5 mL and 48 x 1.5 mL microfuge tubes on the reverse side
- Purple section holds 96 x 0.2 mL tubes in a standard array pattern one and 48 x 1.5 mL tubes on the reverse side
- Tapered wells securely suspend tubes and makes removal easy
- Alphanumeric well identification

A autoclavable

part no.	tubes	wells	color	l x w x h, mm
HS29041A	0.2 mL 0.5 mL 1.5 mL	96 48 96	Blue & Purple	296 x 118 x 34







Rota-Rack® Tube Racks

Get organized with this fun, interlocked rack

Rotate each of the four modules independently to configure for the tubes that you want to use.

- Suitable for a massive variety of culture, centrifuge, micro centrifuge, round, flat or conical bottomed tubes
- Polypropylene rack maintains its orientation until you twist it again. Two versions to cover smaller and larger tube requirements

A autoclavable

part no.	tubes	wells	color	l x w x h, mm
HS29040A	50 mL 15 mL 20 mm 10-13 mm	9 8 6 10	*	224 x 110 x 110
HS29040B	15 mL 1.5/2.0 mL 0.5 mL 0.2 mL	6 9 12 32	*	210 x 100 x 100

^{*}Assorted colors: purple, blue, green and yellow.



Cube Rack

Interlocking multi-tube racks

Our user friendly cube rack allows you to work with different sized tubes all in the same plane

- Heavy duty polypropylene rack. Autoclavable. Pack of 5
- Each module measures 108 x 113 x 113 mm
- Each module will take 4 x 50 mL, 10 x 15 mL, 12 x 12 mm and 16 x 1.5/2.0 mL tubes

part no.	tubes	wells	color
HS29050A	50 mL 15 mL 12 mL 1.5/2.0 mL	4 10 12 16	•••.

^{*}Assorted colors: blue, green, pink, yellow, and orange.


Puzzle Rack

Fun and functional racks slide to connect

Two-sided puzzle-shaped pieces hold an assortment of 1.5/2.0, 15 and 50 mL test tubes.

- Pieces can be used separately for small sample applications or connect in a square or row configurations.
- Imprinted references aid with easy retrieval of tubes.
- Constructed of robust polypropylene.
- Each rack measures 151 x 135 x 66 mm. Pack of 4

A autoclavable



*Assorted colors: yellow, blue, green, and orange.



10% of the proceeds of Puzzle Rack sales are donated to Autism Speaks.

4-Way Rack

Link together to cater for your application needs

Create as large a rack as you require for your bench top applications.

- Heavy-duty polypropylene rack. Autoclavable. Pack of 5
- Each module measures 174 x 95 x 52 mm



HS29022A


Natural

Wire Tube & Bottle Racks


Durable racks for transport or sample handling

- Chemically-resistant epoxy-coated steel wire racks
- Suitable for conical, round or flat bottom glass or plastic tubes and bottles

A autoclavable







Bijou Bottle/Tube Rack

- Rack suitable for Bijou bottles and low profile tubes up to 25 mm dia
- Available in a 2 x 6 or a 5 x 10 format
- Mesh bottom support

Universal Bottle/Tube Rack

- Rack suitable for Universal, McCartney and Scintillation vials and low profile tubes up to 33 mm dia
- Available in a 2 x 6 or a 5 x 10 format
- Mesh bottom support

13 & 16 mm Tube Racks

- For 13 and 16 mm blood collection tubes and test tubes
- Two formats for each size 6 x 12 and 9 x 12, color coded
- Slotted bottom





15 mL/50 mL Tube Racks

• Support capped tubes up to 18

• Support capped tubes up to 30

mm dia 3 x 5 format

mm dia 2 x 4 format

Slotted bottom



- Ideal for urine containers up to 58 mm dia
- Slotted bottom
- Mesh bottom support



Centrifuge Bottle Rack

- Holds bottles and vessels up to 60 mm dia
- Slotted bottom

	part no.	description	lxwxh,mm
Δ.	HS120085	Tube rack, blue, 25 mm well 2 x 6, 12 place	164 x 64 x 32
A	HS120086	Tube rack, blue, 25 mm well 5 x 10, 50 place	271 x 145 x 32
В	HS120087	Tube rack, blue, 33 mm well 2 x 6, 12 place	212 x 80 x 60
D	HS120088	Tube rack, blue, 33 mm well 5 x 10, 50 place	355 x 189 x 60
	HS120089	Tube rack blue, 13 mm well, 6 x 12, 72 place	205 x 105 x 65
_	HS120090	Tube rack red, 13 mm well, 9 x 12, 108 place	205 x 162 x 65
C	HS23072	Tube rack blue, 16 mm well, 6 x 12, 72 place	237 x 127 x 65
	HS23108	Tube rack red, 16 mm well, 9 x 12, 108 place	241 x 188 x 65
D	HS23215	Tube rack blue, 18 mm well, 3 x 5, 15 place	127 x 76 x 76
D	HS232461	Tube rack blue, 30 mm well, 2 x 4, 8 place	147 x 80 x 89
E	HS120091	Tube/Bottle rack blue, 58 mm well, 6 x 4, 24 place	393 x 262 x 50
F	HS23224	Bottle rack blue, 60 mm well, 2 x 3, 6 place	205 x 135 x 104

HS2166

www.heathrowscientific.com

Cuvette Box

Unique storage box design for safe handling

Innovative cuvette box holds up to 12 cuvettes with a 10 mm light path.

- Polypropylene box features a hinged lid with secure clasp
- · Removable insert for easy cleaning
- Accommodates spectrophotometer cells up to 51 mm in height (including cover)
- Stacks neatly to save space. Autoclavable

A autoclavable

part no.	cuvettes	wells	color	lxwxh, mm
HS23451	10 mm light path	12	Natural	115 x 121 x 6





Floating Microtube Racks

Use on the bench, with water baths or ice containers


Polypropylene racks keep microtubes afloat in a water bath or can be pushed into crushed ice—perfect for controlling sample temperature.

- Detachable legs provide two options:
 Attach legs so rack stands upright on bench top, or detach legs so samples can be quickly popped out by pushing down onto any surface.
- · Not recommended for cleaning in autoclave.
- Measure 60 mm high including legs.
- Pack of 4.

part no.	shape	tubes	wells	color
HS2131B	Square (102 mm)	0.4/0.5 mL	16	Black
HS2132A	Square (102 mm)	1.5/2.0 mL	16	White
HS2133A	Round (68 mm dia)	1.5/2.0 mL	8	White
HS2134A	Round (98 mm dia)	1.5/2.0 mL	20	White

Floating Foam Tube Racks Reusable and flexible for a variety of applications Brightly colored, high density polyethylene foam racks are ideal for floating tubes in water baths, tubs, or beakers. • Closed-cell foam resists water absorption so racks can be washed and reused • Racks include detachable carrying handles—easily lift samples out of baths The blue round rack features unique "X" slits to hold a variety of tube sizes · Not recommended for cleaning in autoclave. Pack of 5. part no. HS2165A 50 mL 4 165 x 137 x 65 Diamond Green 15 mL HS2165B 8 Blue Parallelogram 172 x 57 x 65 1.5-2.0 mL HS2165C 24 150 x 83 x 69 Yellow Rectangle 0.2/0.5/ HS2166 82 mm dia 18 Blue Round 1.5-2.0 mL HS2165C HS2165A HS2165B

Detachable handle



Pipetting

Whether it be dispensing or aspirating microliters or milliliters, we offer you precision at your finger tips.



Slight downward slant to tip ejector button reduces hand fatigue, incidence of repetitive strain injury (RSI) Volume adjustment and low-force dispensing all in one button for convenience

Finger hook

Pearl™ Pipettes Adjustable Volume

Precision liquid handling

A complete range of single channel pipette volumes to cover all your possible needs. The sleek ergonomic design and reduced plunger pressure help reduce the chance of RSI, as the pipettes require 2/3rd the operation pressure of most standard pipettes. Each pipette is tested in accordance with standards and a calibration certificate is supplied. Manufactured in accordance with ISO9001 and GLP regulations.

- Internal metal parts for increased accuracy and calibration stability
- Easy volume adjustment with locking tab to prevent accidental change
- Separate tip ejector and a large digital volume display

A autoclavable

Isolated volume locking ring prevents accidental volume changes

3-position volume display

10 volume ranges available

color	part no.	no. channels	volume range
	HS120097	Single	0.1-2 µL
	HS120098	Single	0.5-10 μL
	HS120099	Single	2-20 μL
	HS120100	Single	5-50 μL
	HS120101	Single	10-100 μL
	HS120102	Single	20-200 μL
	HS120103	Single	30-300 μL
	HS120104	Single	100-1000 μL
	HS120105	Single	500-5000 μL
	HS120106	Single	1000-10000 μL
	HS120215	Eight	5-50 μL
	HS120216	Eight	30-300 μL

Precision metal components for both shaft and barrel ensure reliable performance and long life





Universal tip cone



Pipettes can by held in the rubber grips and/or the plunger hooks available



Rack rotates for easy pipette selection

Mount base under shelf or counter

Flip & Grip™ Pipette Holder

The perfect choice for your labs changing needs

Unique pipette holder that gives you the option of using on the bench top, or as a hanging under shelf holder to help maximize your working space available.

- Will hold up to 12 single channel pipette, or a combo of 3 single and 3 multichannel
- Holds most common brands. Rubber grips prevent scratching pipette
- Holder rotates for easy pipette selection and storage
- Weighted base. Fixing screw provided for under shelf option
- Measures 332 mm H x 193 mm W (bench top style); 187 mm L x 193 mm W (under shelf style)





Clamp-Ette® Pipette Holders

Create an instant Pipette holding point within your lab

Secures to tabletops, benches and shelves with a twist of the fingertips!

- Chemical-resistant polypropylene and fits most major pipette brands.
- Available in a single or triple format
- Clamp-Ette® measures 110 x 45 x 105 mm
- Tri Clamp-Ette® measures 157 x 120 x 95 mm

A autoclavable

part no.	description	color
HS2062A	Clamp-Ette	Blue
HS2062B	Clamp-Ette 3 pack	*
HS20162A	Tri Clamp-Ette	Blue
HS20162C	Tri Clamp-Ette	Purple

^{*}Assorted colors: blue, red, purple

Pipette Workstation

Organize your pipette and tips

Keep pipette and disposable tips together in one convenient stand.

- Acrylic rack is opaque on sides but has clear front and bin lids for easy identification of contents
- Acrylic rack holds up to four pipette on top shelf
- Dual bins house two different sizes of tips. Self-closing lids provide dust-free storage
- Oversized lip on lid allows for easy access even when wearing gloves
- Measures 244 x 165 x 246 mm

part no.	description
HS234631	Pipette Workstation

Pipette Stands

Convenient and safe storage

These classic 3, 4, and 6-place pipette stands are designed to hold most major pipette brands.

- The upper slots are 25 mm and the lower slots are 20 mm wide
- Acrylic stands are transparent/clear; ABS stands are solid opaque colors

part no.	type	material	color	
HS206203	Three	Acrylic	Clear	
HS206204	Four	Acrylic	Clear	
HS20620	Six	Acrylic	Clear	
HS20613C	Six	Acrylic	Blue	
HS20613E	Six	ABS	Blue	



3-Place stand

6-place stand Acrylic Blue



30



SPECIFICATIONS:

Power: Manual

Filter: PTFE/25 mm dia / 0.45 µm filter in PP housing

Pipettes: 1 to 50 mL, glass and plastic **Pipette nozzle:** polypropylene, autoclavable

Dimensions: 180 x 45 x 120 mm

Magnetic wall mount included



Lightweight and easy to use!

The RF1000TM is a manual pipette controller and is uniquely designed for one-handed operation. Simply squeeze the main bulb and push the toggle forward to aspirate or back to dispense. Push the blowout bulb to expel any liquid remaining in the pipette.

- Tapered silicon pipette adapter allows a large range of pipette sizes and makes to be used. Replaceable when worn
- Accepts common, and readily available replacement filters unlike other pipette aids whose filters are custom. This will help reduce total cost of ownership over time
- Includes a magnetic/wall mountable holder and 0.45 µm filter
- Overall dimensions 180 x 45 x 120 mm.

part no.	description
HS1000RFU	RF1000 with magnetic/mountable holder
replacement par	ts
HS5000RFFIL	Replacement Filters, Pack of 5
HS5000RFRP	Replacement Pipette Adapter, Silicone
HS1000RFRR	Replacement Nose Cone, PP, Dark Blue
	A autoclavable

Multi-Channel Reagent Reservoirs

Designed and packaged for superior handling!

Our multi-channel reservoirs are superior in every way with thicker walls, crush-resistant "turrets" at the corners, easy pour spouts, 25 mL graduation marks, and tabs to prevent stacked reservoirs from sticking together.

- Tapered reservoir bottoms into a narrow trough to aid full sample recovery
- Sterile versions are individually sealed in Sani-Tear HDPE packets and gamma-irradiated in an ISO-Certified US facility. Traceable certificate available on request

D disposable

part no.	volume	material	sterility	qty.
HS20521A	55 mL	Clear PVC	Non-Sterile	100/pk
HS20521B	55 mL	White Polystyrene	Non-Sterile	100/pk
HS20521C	55 mL	White Polystyrene	Sterile	50/pk
HS20721B	100 mL	White Polystyrene	Non-Sterile	100/pk
HS20721C	100 mL	White Polystyrene	Sterile	50/pk

Dual Solution® Reservoir

Innovative shape guides and protects pipette tips

Polypropylene reagent reservoir has a standard 50 mL basin on one side and 12 individual 5 mL basins on the other side.

- Angled wells guide pipette tips toward a center position to help avoid cross contamination and waste
- Imprinted wells identify samples; loose-fitting lids prevent evaporation and contamination
- Non-sterile. Pack of 25 reservoirs and 25 lids

part no.	description
HS20821A	Dual Solution Reservoir







Packed with features for comfortable and accurate pipetting

The powerful pump offers rapid, yet sensitive aspiration and dispensing, has adjustable valves and is microprocessor controlled for constant reliability

- Operates with 110–240 volt electrical supplies worldwide
- Long-life Li-Ion Battery, with quick charge-up to 20 hours continuous use
- UV resistant housing—longer lasting when exposed to UV sterilizing

· Universal grip and soft coated triggers with direction indicators, for right or left handed users

• Ergonomically balanced in the hand with a loaded pipette

• Bright LEDs indicate three operation modes, High, Low and Gravity, toggled by repeatedly pressing a large mode button that is in easy reach of your thumb when in use

• Five different colored nose cones included to help differentiate department, task or user, as well as a labeling area on the side of the unit

• Filters are readily available, so you are not tied into a pipette specific brand helps reduced the total life costs of ownership verses other makes of pipette aids

• An adapter can be fitted to the nose cone to stabilize small volume and thinner pipettes

• Low battery indicator; can be recharged when in use



Magnetic wall mount



Operational mode indicator





SPECIFICATIONS:

Power: Rechargeable Li-Ion battery (replaceable)

Filter: PTFE/25 mm dia 0.45 µm filter Pipettes: 1 to 100 mL, glass and plastic Pipettes nozzle: Polypropylene, autoclavable

Dimensions: 15 x 152 x 41 mm


One-year warranty

Tested to comply with U.S., Canadian and European

Safety and EMC Standards









HS300504 Nose Cones, Pack of 5 * A autoclavable

RF3000 Package includes:

- Charging stand and wall-mountable/magnetic holder
- · Nozzle adapter for use with small pipettes
- · Li-Ion rechargeable battery
- Three replacement 0.45 um filters
- Five nose cones, Blue, Lime, Shamrock, Teal, Lilac
- AC adapter 100 to 240V, 50/60Hz with four interchangeable plugs



Small pipette adapter

^{*}Assorted colors: blue, lime, shamrock, teal, lilac.

Pipette Racks

Protects and organizes glass and plastic pipettes

Angled four shelved compartments keep your 0.1 to 50 mL pipettes or cans within easy reach while preventing damage and clutter.

- Heavy duty acrylic version provides crystal-clear viewing from any angle
- ABS versions have cut-out viewing window and come with two removable attachments that hold pipette bulbs, fillers, and pumps
- Magnetized ABS version has strong magnets on both sides and mounts securely to most metal surfaces*
- All racks measure 291 x 88 x 401 mm

						- 2	Tall (C)	
part no.	description	material	color					Blue
HS20611	Pipette Rack	Acrylic	Clear					ABS with
HS20612	Pipette Rack	ABS	Blue		-			magnetic
HS20613	Pipette Rack	ABS	Red					wall mounts
HS20612M	Magnetized Pipette Rack	ABS	Blue	Clear Acry	vlic V			
							100	



Cargo™ Pipette Rack

Customize your storage of pipettes!

Includes 2 Removable

pipette attachments

Organize the Cargo™ Pipette Rack to meet your laboratory or personal needs. Click together horizontally or vertically to build the desired configuration, or use as individual holders, utilizing the three lid sections provided.

- Magnets on both sides of units connect securely and safely to most metal surfaces
- Angled shelves store 0.1 to 50 mL pipettes within arm's reach for use
- Protective lid encloses the unit to prevent dust build up and provides additional shelf space
- Link to additional sets for larger needs and requirements
- Assorted shades of blue: light, medium, dark. Pack of 3

part no.	color	l x w x h, mm/each
HS20615M	Blue	301 x 100 x 127.5

Transfer Pipettes

These one-piece, unbreakable polyethylene plastic pipettes are well-suited for blood banking (2 mL size), urinalysis, hematology, wet chemistry, microbiology, and serology.

- Bulk packed versions come in handy dispenser box
- Sterile versions available single wrapped, or 20 wrapped at a time
- Lot-to-lot traceability on sterile versions. All in packs of 500

disposable

part no.	description	sterile	length	graduations	overall volume
HS20635E	0.5 mL, Bulk	No	60 mm	None	1.1 mL
HS206371A	1 mL, Bulk	No	150 mm	0.25 mL	5 mL
HS206371B	1 mL, 20/wrap	Yes	150 mm	0.25 mL	5 mL
HS206371C	1 mL, 1/wrap	Yes	150 mm	0.25 mL	5 mL
HS206372A	2 mL, Bulk	No	155 mm	0.5 mL	5 mL
HS206372B	2 mL, 20/wrap	Yes	155 mm	0.5 mL	5 mL
HS206372C	2 mL, 1/wrap	Yes	155 mm	0.5 mL	5 mL
HS206373A	3 mL, Bulk	No	155 mm	0.5 mL	7 mL
HS206373B	3 mL, 20/wrap	Yes	155 mm	0.5 mL	7 mL
HS206373C	3 mL, 1/wrap	Yes	155 mm	0.5 mL	7 mL

206371A 206372A 206373A



Pipette Tip Disposal Box

Quick flip of port cover makes tip ejection easy

Convenient for one-handed disposal of used pipette tips. Eliminates any need to handle pipette tips used with hazardous fluids.

- The 3/8" (10 mm) thick acrylic provides protection from Beta radiation
- The large, hinged lid allows easy disposal of contents
- Suggest using in conjunction with small Biohazard Disposal Bags (page 71), if hazardous fluids are not acrylic friendly
- Measures 154 x 171 x 206 mm.

part no.	description
HS234634	Pipette Tip Disposal Box





Rubber Pipette Filler

This rubber pipette filler is designed for efficient one-handed operation. Control air evacuation, liquid uptake, and liquid dispensing with three valves, each containing a chemical-resistant stainless steel ball.

- Pinch release valve for smooth liquid flow
- Filler fits standard size pipettes
- Order the red pipette filler for safe pipetting of caustics. It does not contain carbon black and will not smudge
- Filler measures 54 x 54 x 130 mm

part no.	description	
HS20632A	Pipette Filler, Black	
HS20632B	Pipette Filler, Red	
HS20632C	Pipette Filler, Blue	



Vacuum/Pressure Bulb

Ideal for gas sampling, or for pumping gas through apparatus. This heavy-wall bulb has two rubber valves with PVC connections.

- Bulb capacity is 85 mL
- Use with 7.4 mm inner diameter (tubing not supplied)

part no.	capacity
HS20631B	85 mL



Safety Bulb Pipette Filler

Features a white ABS attachment containing a silicone conical adapter that seals around pipettes without twisting. Pipette does not contact hard plastic, which reduces the risk of cracking and chipping. Pack of 3.

- Comes with elastic band for hanging on reagent bottle or wrist
- Filler fits standard size pipettes

part no.	capacity	OD
HS20623	15 mL	41 mm



A. Latex (Natural Rubber) Dropper Bulbs

Flexible, easy-to-attach bulbs designed for use with Pasteur pipettes, small pipettes, and medicine droppers. Available in natural color. Pack of 72.



B. Rubber Bulbs

Contoured shape and heavy-wall neck increase grip for easier use with pipettes and syringes. The 150 mL capacity (HS20630E) red bulb has reinforcing ribs for use with large pipettes. Bulbs are individually packaged.

	part no.	capacity	length	OD 1	hole dia.
A	HS20622A	1 mL	43 mm	13 mm	5 mm
Α	HS20622B	2 mL	52 mm	13 mm	6 mm
В	HS20630A	12 mL	51 mm	34 mm	4 mm
В	HS20630B	15 mL	56 mm	34 mm	4 mm
В	HS20630C	30 mL	66 mm	46 mm	6 mm
В	HS20630D	60 mL	80 mm	54 mm	6 mm
В	HS20630E	150 mL	103 mm	73 mm	6 mm



Microscopy/Histology

Products meeting the demanding standards of clinical, research and educational requirements

Cardboard Slide Tray

Our cardboard slide trays hold standard slides $(25 \times 75 \text{ mm and } 1 \times 3^{\circ})$.

- Horizontal compartments are recessed to protect the specimens when the cover is closed
- Features thumb cut for easy slide removal
- Available in 2 sizes with 3 color options for the 20-place trays

D disposable

part no.	capacity	trim/imprinting	l x w x h, mm	qty.
HS9902	20-Place	Black	208 x 341 x 9	72/cs
HS9913	20-Place	Blue	208 x 341 x 9	72/cs
HS9914	20-Place	Green	208 x 341 x 9	72/cs
HS120196	20-Place	Red	208 x 341 x 9	72/cs
HS120197	20-Place	Yellow	208 x 341 x 9	72/cs
HS9930	30-Place	Black	281 x 328 x 10	40/cs











20-Place Slide Tray Racks

Search, identify, and easily locate the specimen slide you need!

Store multiple slide trays for easy retrieval—ideal for microbiology, histology, and pathology fields.

- ABS rack holds five 20-place slide trays (not included see above)
- Eliminates the worry of breakage during retrieval—easy access to each of the trays
- Matching clasps provide area for identification labels and doubles as a handle
- Portable and refrigerator safe for cold sample storage
- Stack multiple units to create your own library. Each rack includes 5 clasps

part no.	capacity	color	l x w x h, mm
HS99040A	5 Slide Trays	Blue	226 x 340 x 125

Cardboard Slide Mailers

Heavy cardboard holders for safe transport of microscope slides. Thumb grooves make the removal of slides easy.

- 1- and 2-place slide mailer versions
- Each will hold 25 x 75 mm (1 x 3") and/or 26 x 76 mm sized slides

D disposable

part no.	capacity	l x w x h, mm	qty.
HS9903	1-Place	95 x 42 x 5	25/pk
HS9904	2-Place	103 x 79 x 5	36/pk





Plastic 2-Place Slide Mailer

Ideal for secure shipping and storing of slides.

- Polypropylene protectors hold two standard (25 x 75 mm and 1 x 3") slides securely
- Large, easy to-secure snaps, for safe storage for valuable slides
- Array of colors brings some fun to the lab and is useful for color coding
- Measures 93 x 68 x 5 mm. Pack of 25

D disposable

part no.	description	color
HS15983A	2-Place Slide Mailer	*
HS15983B	2-Place Slide Mailer	Natural
4 /	war wald reallance below here	and the contract of the contra

^{*}Assorted colors: red, yellow, blue, purple, and orange.

Plastic 5-Slide Mailers

Ideal for secure shipping, storing, or staining slides.

- Polypropylene containers hold five standard slides (25 x 75 mm and 1 x 3")
- Inside wall features slotted channels to keep slides separated and to make removal easier
- Lid closes securely to keep slides safe. Pack of 25
- Side-opening mailers measure 81 x 19 x 31 mm
- End opening mailers measure 43 x 24 x 88 mm

D disposable

part no.	description	color
HS15982	Side-Opening Mailer	Natural
HS15983G	End-Opening Mailer	*
HS15986	End-Opening Mailer	Natural

^{*}Assorted colors: red, yellow, blue, purple, and orange.



End-opening mailer

Slide Staining Tray Set

Reduce possible cross contamination and messy work areas


Stain, rinse and dry slides on a single working tray. Made of a polypropylene and polyethylene blend, this rugged staining tray is an economical alternative to metal versions.

- A clean and fresh working surface area every time
- Up to eight slides fit comfortably onto the base and the deep well holds up to 38 mL
- Compact size and recessed handles for easy transport from work area to sink
- Two convenient pour spouts for quick dispose of unwanted liquid waste
- Dark lid protects slides for light sensitive applications
- Pack of 4 base trays and 1 lid

disposable

part no.	capacity	l x w x h, mm
HS15951A	8 slides	305 x 127 x 29.5





Slide Holders

Hold slides during evaluation, cleaning, and drying.

- Made from chemical-resistant polyethylene
- · Solid, strong construction with rubber feet for bench top stability

part no.	capacity	l x w x h, mm
HS15981C	15	153 x 102 x 21
HS15981A	40	298 x 105 x 24
HS15981B	78	299 x 178 x 21



Tungsten-Point Lab Pen

Permanently mark glass slides, test tubes, and labware

Sharp, tungsten carbide tip etches glass, ceramic, and plastic.

- Retract tip for safe storage
- Measures 9.8 mm dia x 137 mm L

part no.	description
HS1846	Tungsten-Point Lab Pen



Microscope Slide Dispenser

Design makes it easy to load and dispense slides.

- Works effortlessly with 25 x 75 mm (1 x 3") and 26 x 76 mm slides
- Turn either side wheel to dispense slides one at a time
- Holds up to 91 slides. Measures 113 x 123 x 163 mm

part no.	description
HS15984	Slide Dispenser



Standard Microscope Slides

Standard-class, pre-cleaned slides with paper interleaves.

- Ground edges with 90° corners
- Available in plain or single-frost styles. Nylon tropical packed
- Measure 25 x 75 mm (1 x 3") with 1.0-1.2 mm thickness. Packs of 50





HCROSCOPE SLIDES


Premium Microscope Slides

Pathology-class, precleaned slides.

- Cut or ground edges.
 Choose between 90° or
 45° corners
- Available in plain or single or double frosted styles. Double cellophane wrapped
- Variety of color choices for specific applications
- Measure 25 x 75 mm (1 x 3") with 1.0-1.2 mm thickness. Packs of 50

D disposable

part no.	description	edges	frost	corners
HS159871A	Standard Slide	Ground	None	90°
HS159871B	Standard Slide	Ground	Single	90°
HS159872A	Premium Slide	Cut	None	90°
HS159872B	Premium Slide	Cut	Single	90°
HS159873A	Premium Slide	Ground	None	45°
HS159873B	Premium Slide	Ground	None	90°
HS159873C	Premium Slide	Ground	Single	90°
HS159873D	Premium Slide	Ground	Double	90°
HS159874W	Color-Frost Slide	Ground	White	90°
HS159874B	Color-Frost Slide	Ground	Blue	90°
HS159874G	Color-Frost Slide	Ground	Green	90°
HS159874Y	Color-Frost Slide	Ground	Yellow	90°
HS159874P	Color-Frost Slide	Ground	Pink	90°
HS159874O	Color-Frost Slide	Ground	Orange 📒	90°



Premium Microscope Cover Glasses

Vacuum tropical sealed to protect from dirt and moisture. Thicknesses #1 = 0.13-0.16 mm, #1.5 = 0.16-0.19 mm.

Square Cover Glasses (Pack of 2000)

• Pack features 10 hinged boxes of 200 cover glasses

Rectangular Cover Glasses (Pack of 1000)

• Pack includes 10 hinged boxes of 100 cover glasses

Circular Cover Glasses (Pack of 1000)

 Pack contains 10 boxes with slip-on lids of 100 cover glasses



1131330730			
shape	size	thickness	qty.
Square	18 x 18 mm	#1	2000/pk
Square	18 x 18 mm	#1.5	2000/pk
Square	22 x 22 mm	#1	2000/pk
Square	22 x 22 mm	#1.5	2000/pk
Square	24 x 24 mm	#1	2000/pk
Square	24 x 24 mm	#1.5	2000/pk
Rectangular	22 x 50 mm	#1	1000/pk
Rectangular	22 x 50 mm	#1.5	1000/pk
Rectangular	24 x 50 mm	#1	1000/pk
Rectangular	24 x 50 mm	#1.5	1000/pk
Circular	13 mm, dia	#1	1000/pk
Circular	13 mm, dia	#1.5	1000/pk
Circular	22 mm, dia	#1	1000/pk
Circular	22 mm, dia	#1.5	1000/pk
	shape Square Square Square Square Square Square Square Rectangular Rectangular Rectangular Circular Circular	Shape Size Square 18 x 18 mm Square 18 x 18 mm Square 22 x 22 mm Square 22 x 22 mm Square 24 x 24 mm Square 24 x 24 mm Rectangular 22 x 50 mm Rectangular 24 x 50 mm Rectangular 24 x 50 mm Circular 13 mm, dia Circular 22 mm, dia	shape size thickness Square 18 x 18 mm #1 Square 18 x 18 mm #1.5 Square 22 x 22 mm #1 Square 22 x 22 mm #1.5 Square 24 x 24 mm #1 Square 24 x 24 mm #1.5 Rectangular 22 x 50 mm #1 Rectangular 22 x 50 mm #1.5 Rectangular 24 x 50 mm #1 Rectangular 24 x 50 mm #1.5 Circular 13 mm, dia #1 Circular 13 mm, dia #1.5 Circular 22 mm, dia #1.5

Lens Tissue Books

Non-abrasive cleaning for delicate optical surfaces

Lint-free fiber paper is ideal for cleaning lens and optics.

- Sheets are the popular 100 x 150 mm size
- Pack consists of 20 books of 100 sheets. (4 inner packs of 5 books)

part no.	description	
HS15920	Lens Tissue Books	





Flexible Digital Microscope

Capture high-quality images at up to 200x magnification

Easy-to-use microscope connects to any PC and provides high-quality images from 10x to 200x magnification.

- Bendable gooseneck positions easily to view hard-to-see objects
- Built-in camera and microphone provide immediate assessment
- Use with a projector or PC. Charges and uploads via computer USB port
- Features true 1.3 MP resolution, 15 fps frame rate, focus wheel, 6 LED lights and measurement software (compatible with Windows XP®, Windows Vista®, Mac OS® 10.6 and above). Direct X 9.0 required
- Computer with monitor required for use (not included)
- Portable and ideal for investigating flat or 3D subject matter especially items often difficult to see round or behind
- Ideal for forensic, life science, agricultural, industrial and safety investigations to name a few
- Base measures 89 x 127 mm. Bendable neck and head measure 559 mm

Microsoft Windows®, Windows Vista®, Windows XP®, Windows 98SE®, Windows ME®, Windows 2000® and Windows 7® are registered trademarks of Microsoft® Corporation. Mac OS® is a registered trademark of Apple® Inc.





Bendable

gooseneck

positions

Handheld Digital Microscope

Capture photos, record video and display digital images

Portable compact microscope takes videos or still images. Simply hold the unit over an object, turn the top to focus and press the single control button. Microscope is powered by USB computer connection and designed to fit in one hand.

- Use with a computer or projector
- Uploads and charges via USB. Software compatible with Microsoft Windows® (98SE/2000/ME/XP/Vista/7), Mac OS® X 10.4. Computer with monitor required for use (not included)
- Up to 43x magnification using a 17" monitor (up to 53x using a 21" monitor)
- High-quality resolution with 640 x 480 pixels (1280 x 960 Mac). Direct x 9.0 or above required for Windows OS, VGA CMOS sensor
- 15 frames per second with auto white balance and auto exposure 2 head adapters for viewing different media (included)
- 4 LED lights illuminate dark settings or objects
- Removable pieces for easy cleaning. Simple plug and play functionality
- Measures 44 mm dia; 64 mm H

part no.	description
HS15941A	Handheld Digital Microscope



Two adapters included for viewing various media





Tall Slide Box 100-Place

Additional space for those larger 3 x 2" microscope slides

Sturdy ABS material for rugged use. Slide boxes are designed for storage and transport.

- Grooved slots hold individual slides in place
- Soft cork lining ensures that slides will not slip
- Identification card, lining and grooved slots are numbered
- Stackable with other Tall boxes and/or 100-place Premium slide boxes

part no.	capacity	color	l x w x h, mm
HS15979A	100	Blue	208 x 175 x 60

Standard Microscope Slide Boxes

Constructed of durable polypropylene, slide boxes hold either 25 or 100 standard slides (25×75 mm and 1×3 ").

- Hinged lids are held securely closed by latch lock
- · Stacking feet maximize stability
- Slide Identification card. No liner
- 25-place box measures 141 x 92 x 3 mm; 100-place box measures 210 x 169 x 37 mm

part no.	capacity	color
HS15990A	25-Place	Blue
HS15990B	25-Place	Red
HS15990C	25-Place	White
HS15991A	100-Place	Blue
HS15991B	100-Place	Red
HS15991C	100-Place	White



True North® Microscope Slide Box


Store in ultra-low temperatures with confidence!

Protect your slides in ultra-low temperature ranges down to -80°C

- Durable polycarbonate and stainless steel clasp
- Safe storage and transport of 25 x 75 mm (3 x 1") slides
- Uniform Grooved slide slots separate slides preventing slide contact
- Temperature-resistant numbered foam lining and identification sheet
- Stackable, autoclavable measuring 208 x 175 x 34 mm

A autoclavable

part no.	color	slides
HS15988H	Purple	100



100-Place Slide Boxes





Foam-Lined

50-Place Slide Boxes





Cork-Lined

25-Place Slide Boxes







Cork-Lined



Premium Microscope Slide Boxes

Slide boxes are perfect for storage or transportation of standard size slides (25 x 75 mm and 1 x 3").

- Molded, rigid boxes securely hold slides in grooved slots
- Durable ABS plastic boxes are available with either cork or foam lining
- Both the lining and the slots are numbered to correspond to the slide inventory sheet
- Case of 72

100-Place Slide Boxes

- Close securely with a rust-resistant, nickelplated clasp and pin hinges
- Measure 208 x 175 x 34 mm

50-Place Slide Boxes

- Feature thumb-latch lock mechanism
- Cork lining only
- Measure 209 x 86 x 35 mm

25-Place Slide Boxes

- Easily access slides with friction-fit cover
- Measure 141 x 88 x 35 mm

	100-Place Slide Boxes		50-Place Slide Boxes		25-Place Slide Boxes	
color	part no. (cork-lined)	part no. (foam-lined)		part no. (cork-lined)	part no. (cork-lined)	part no. (foam-lined)
Blue	HS15994A	HS15994M		HS15996A	HS15989A	HS15989M
Green	HS15994B	_		_	HS15989B	-
Red	HS15994C	HS15994P		HS15996B	HS15989C	HS15989P
Yellow	HS15994D	_		_	_	-
White	HS15994E	HS15994R		HS15996C	HS15989E	HS15989R
Gray	HS15994F	_		_	-	-
Black	HS15994G	-		-	-	-



Storage Rack for Microscope Slide Boxes

Create a file system for 50- and 100-place slide boxes (see above)—storage rack makes organization of samples easy.

- Clear acrylic construction allows the labels to be seen on the slide boxes
- Place boxes in rows or columns by color to create an easy coding system

part no.	bins	l x w x h, mm
HS159890B	15	711 x 171 x 228



Sample/Blood Collection

Products designed by phlebotomists, for phlebotomists. Our products make everyday working practices easier and safer.



Sample Collection Cart

Stable, secure, transport of collection supplies

Provides a stable, mobile center for blood collection in your facility. Standard features include:

- Made of durable stainless steel and aluminum construction
- Handle for pulling the unit
- Painted surfaces utilize Microban® protection
- 5 wheel, weighted base for stability of unit
- Designed to hold the Droplet[™] blood collection station (see page 44)
- Adjustable height Range: 30 tp 55 inches (762 x 1397 mm)
- Designated tray area dimensions 16 x 9 x 6 inches (429 x 265 x 172 mm
- Working surface dimensions 14.25 x 7.5 inches (362 x 191 mm)





Working surface

Clear bin

Deluxe Sample Collection Cart

- (406 x 254 x 152 mm)
- Blue measures 10 x 7.4 x 6 inches (254 x 178 x 152 mm)
- 1 Waste container with lid 1.75 Quarts (1.65 L)

Sample

Collection Cart

Mega Racks

Blue bin

Waste

container


High-capacity storage for your tubes

Fully-assembled, polypropylene Mega Racks are great for high throughput labs requiring large sample storage.

- Sturdy and light weight material for easy transport
- Alphanumeric identification for quick location and retrieval of tubes
- Place different test groupings into one rack and eliminate need for multiple racks
- Singles measures 337 x 267 x 91 mm
- Doubles measure 673 x 230 x 80 mm (10-13 mm) & 521 x 260 x 89 mm (13-16 mm)

A autoclavable

part no.	description	size	wells	color
HS24322A	10-13 mm Tube Rack	single	216	Blue
HS24322E	10–13 mm Tube Rack	single	216	White
HS24323A	13–16 mm Tube Rack	single	120	Blue
HS24323E	13–16 mm Tube Rack	single	120	White
HS120113	10–13 mm Tube Rack	double	432	White
HS120112	10–13 mm Tube Rack	double	432	Blue
HS120115	13–16 mm Tube Rack	double	240	White
HS120114	13–16 mm Tube Rack	double	240	Blue



www.heathrowscientific.com





Blood Collection Tray

Designed with phlebotomists in mind!

Lightweight, roomy and easy-to-clean Droplet™ Blood Collection Tray. Keeping a clean and organized tray has never been easier. Wash the ABS tray as needed, and replace the insert periodically for a fresh start. Tray inserts come in two configurations and include an extra-deep compartment for a sharps container on the following page.

- Tray features a supply drawer, side pockets, and a ratcheting handle with soft rubber grip that rotates out of the way for easy access
- Each tray includes either a 13 mm or a 16 mm Heathrow OneRack® test tube rack and two disposable polystyrene inserts
- Additional inserts sold in packs of 4 in two different configurations
- Tray measures 429 x 265 x 172 mm

Droplet Blood Collection Tray with
4 2 Inserts (Style A) and a 36-Place,
13 mm Test Tube Rack

Droplet Blood Collection Tray with
4 2 Inserts (Style B) and a 36-Place,
16 mm Test Tube Rack

Designed by phlebotomists, for phlebotomists.
The Droplet™ Blood Collection Tray makes everyday working practices easier and safer.

Droplet[™] Lid

Cover for the Droplet Blood Collection Tray

Protect the contents of the Droplet Tray with this sturdy lid. Custom designed for a snug fit, the lid provides access to the tray handle in its vertical position.

- Can be secured with cable ties for extra security
- Made of polystyrene and is stackable. Measures 420 x 240 x 205 mm

part no.	color
HS2202	White





Keeps contents clean and secure





Disposable inserts



Insert A for 13 mm tube rack



Insert B for 16 mm tube rack

	part no.	description
A	HS2201A	Insert A for 13 mm Tube Rack, Pack of 4
В	HS2201B	Insert B for 16 mm Tube Rack, Pack of 4

NEW

Sharps Containers

Easy to use and transport

Provides safe disposal of syringes, needles and other small sharps.

Stackable to reduce storage space before use

- 1.0 L capacity (Quart) with a clear lid to view fill level
- Slide access lid for temporary and final closures for safety and security
- Built-in needle removal port, preventing direct contact with sharps
- Compatible with the Droplet® Blood Collection Tray
- Measures 115 W x 115 D x 192 H mm, packs of 18

part no.	description	colors
HS120177	1.0 L sharps container	Yellow
HS120178	1.0 L sharps container	Red







X-tourn™ Tourniquets

Hi-Viz orange alert for safer practice

High-quality disposable tourniquets that will not rope or curl when being used, so you can rely on the performance of every one. Latex free, no rubber proteins, resins or fatty acids that can produce hypersensitive reactions.

- Made from supple and smooth polyisoprene
- Less abrasive than other brands, uniform thickness prevents shredding and breaking
- Each measures 2.54 x 45.72 cm

D disposable

part no.	description	color	packaging
HS120108	Tourniquets	Green	100/pk
HS120109	Tourniquets	Green	25/roll
HS120110	Tourniquets	Orange 📙	250/pk
HS120111	Tourniquets	Orange 📙	25/roll

ToteMax™ Blood Collection Trays

Keep off the floor, work top or bed!

Unique phlebotomy tray design and patented hook feature allows the tray to be on or over most bed rail, footboard and handrails outside a typical patient room.

• Deep tray design helps reduce spills

• Made from food grade resins for a durable non-breakable design

• Available in 5 colors and measure 432 x 279 x 279 mm

part no. color

HS120021 Blue HS120022 Red HS120023 Pink HS120024 Purple HS120025 Green

Hooks lock in place when not in use



NEW

Hangs on bed rails, footboards

and

handrails

Blood Collection Tray

Light weight, heavy on organization!

Organize your phlebotomy, I.V. start or catheter insertion supplies with this spacious, robust and easy to clean carry tray.

- Customize the compartments to suit your personal needs with the dividers provided.
- Lightweight easy-to-clean ABS construction
- Comfort grip handle tested to hold up to 10 Kg!
- Comes complete with a 17 mm well 60 place tube rack
- Tray Measures 419 x 311 x 85 mm, handle height 241 mm

part no.	description	tube rack
HS120261	Blood Collection Tray, White	17 mm rack





Droplet® Sample Storage Tray

Sample organization for the busy lab

Hard wearing storage trays that can be used for specimen containers with the insert provided, of for general lab products without the insert.

- Lightweight and sturdy to hold up to 24 full specimen containers (up to 58 mm in diameter). Specimen containers not included.
- Removable insert to allow outer shell to be used for storage or transportation of laboratory products
- Stackable with other trays to support as many as four high
- Integrated label holder and cards to enable easily changed identification
- Able to be cleaned with common disinfectants and germicides.
- Tray dimensions 480 x 331 x 84 mm

part no.	description
HS120172	Droplet® Sample Storage Tray

Urine Container Rack

Durable racks for transport or sample handling

- Chemically-resistant epoxy-coated steel wire racks
- Suitable for flat bottom containers up to 58 mm dia
- Slotted bottom
- Mesh bottom support

A autoclavable

part no.	description	l x w x h, mm
HS120091	Tube/Bottle rack blue, 58 mm well, 6 x 4, 24-place	393 x 262 x 50



Racks features silicon grips to hold tubes in place

Turn the rack over and the tubes will not fall out! **Great for discarding liquids** while tubes stay in place.


- Tubes insert and extract with a gentle push or pull
- ABS rack with silicon griping fingers. No assembly required
- Not recommended for cleaning in autoclave
- Measures 259 x 127 x 49 mm







part no.	description	tubes	wells	color
HS24371A	Grab Rack	16 mm	50	White









Wire Tube & Bottle Racks

Durable racks for transport or sample handling

- Chemically-resistant epoxy-coated steel wire racks
- Suitable for conical, round or flat bottom glass or plastic tubes and bottles

A autoclavable

A. Bijou Bottle/Tube Rack

- Rack suitable for Bijou bottles and low profile tubes up to 25 mm dia
- Available in a 2 x 6 or a 5 x 10 format
- Mesh bottom support

B. Universal Bottle/Tube Rack

- Rack suitable for Universal, McCartney and Scintillation vials and low profile tubes up to 33 mm dia
- Available in a 2 x 6 or a 5 x 10 format
- Mesh bottom support

		part no.	description	lxwxh, mm
	Α	HS120085	Tube rack, blue, 25 mm well 2 x 6, 12-place	164 x 64 x 32
	A	HS120086	Tube rack, blue, 25 mm well 5 x 10, 50-place	271 x 145 x 32
	В	HS120087	Tube rack, blue, 33 mm well 2 x 6, 12-place	212 x 80 x 60
	D	HS120088	Tube rack, blue, 33 mm well 5 x 10, 50-place	355 x 189 x 60
		HS120089	Tube rack blue, 13 mm well, 6 x 12, 72-place	205 x 105 x 65
	С	HS120090	Tube rack red, 13 mm well, 9 x 12, 108-place	205 x 162 x 65
		HS23072	Tube rack blue, 16 mm well, 6 x 12, 72-place	241 x 188 x 65
		HS23108	Tube rack red, 16 mm well, 9 x 12, 108-place	237 x 127 x 65
	C	HS120089 HS120090 HS23072	Tube rack blue, 13 mm well, 6 x 12, 72-place Tube rack red, 13 mm well, 9 x 12, 108-place Tube rack blue, 16 mm well, 6 x 12, 72-place	205 x 105 x 65 205 x 162 x 65 241 x 188 x 65

c. 13 & 16 mm Tube Racks

- For 13 and 16 mm blood collection tubes and test tubes
- Two formats for each size 6 x 12 and 9 x 12, color coded
- · Slotted bottom

NEW

OneRack[®]

Test Tube Racks

Tough and more highly resistant to acids, bases, solvents and heat

These durable racks are molded in a single, continuous piece so no assembly required and there are no detachable pieces.

Delrin® fiberglass-reinforced polyoxymethylene (POM) version A:

- Offers the highest chemical and heat resistance (-40 to +140 $^{\circ}\text{C})$
- Autoclavable, available in half and full rack sizes

Polypropylene version:

- Offers good chemical and heat resistance (0 to 110°C)
- Not recommended for autoclaving, available in the full size for 2 tube diameters

Both versions:

- Have molded coordinates for tube orientation
- Designed to be stable when used in water baths
- Have flat labeling area for easier identification
- Available in 5 different colors. Cases of 8





description	tubes	wells	l x w x h, mm	white	blue	green 📕	magenta 🔲	yellow
Full-Size Delrin® Racks A autoclavable	13 mm 16 mm 30 mm/50 mL	72 72 24	104 x 202 x 59 127 x 250 x 70 110 x 282 x 85	HS27511A HS27512A HS27515A	HS27511B HS27512B HS27515B	HS27511C HS27512C HS27515C	HS27511D HS27512D HS27515D	HS120205 HS120206 HS120207
Half-Size Delrin® Racks A autoclavable	13 mm 16 mm 30 mm/50 mL	36 36 9	104 x 104 x 59 127 x 127 x 70 110 x 110 x 85	HS27501A HS27502A HS27505A	HS27501B HS27502B HS27505B	HS27501C HS27502C HS27505C	HS27501D HS27502D HS27505D	
Full-Size Polypropylene Racks	13 mm 16 mm	72 72	104 x 202 x 59 127 x 250 x 70	HS27551A HS27552A	HS27551B HS27552B	HS27551C HS27552C	HS27551D HS27552D	



Bouffant Head Covers

Comfortable, Latex Free

Latex-free bouffant head covers, designed for roominess and comfort. Gentle elastic provides secure coverage without binding. Made of comfortable SPP (spunbond polypropylene).

D disposable

part no.	description	color	qty.
HS120058	Bouffant Head Cover 24"	Blue	Pk/100





NEW

Shoe Covers

Slip resistant, Latex Free

Made of strong, low-linting polypropylene, slip-resistant tread, Latex Free.

D disposable

part no.	description	color	qty.
HS120059	Shoe Cover, Slip Resistant, PP	Blue	Pk/100

NEW

Universal Tube Caps

Seal multiple size tubes with one size cap

Easy to use polyethylene caps featuring a universal fit.

Caps provide a tight, leak-proof seal for standard glass and plastic tubes.

- Innovative design compatible with tube sizes 10, 12, 13 or 16 mm
- Available in 6 colors for sample, user or protocol identification
- Supplied in packs of 1000

part no.	color
HS31210A	Blue
HS31210B	Green
HS31210C	Red
HS31210D	Yellow
HS31210E	White
HS31210F	Lavender







Benchtop Counters

Mechanical, benchtop counters are perfect for blood cells (label included), bacterial colonies or other repetitive counting.

- Each key records up to 999
- Total window keeps track of total number of strokes made on all other keys; bell rings when total reaches 100

Blood cell key labels

- HS5360A: Baso., Eosin., Mono., Lymph., Poly., and Total, measures 250 x 76 x 56 mm
- HS5360B: Baso, Eosin., Myelo., Juven., Stab., Seg., Lymph., Mono., and Total, measures 320 x 76 x 56 mm

part no.	description	l x w x h mm
HS5360A	6-Key Benchtop Counter	250 x 76 x 56
HS5360B	9-Key Benchtop Counter	320 x 76 x 56



51



part no.	size	lid color	qty.
HS23202A	2.0 mL	*	500/cs
HS23202N	2.0 mL	Natural	500/cs
HS23204N	4.0 mL	Natural	200/cs

True North® Cryogenic Vials

Innovative design saves space in your freezer!

Our externally-threaded vial with a flush cap design allows you to easily fill up all standard-sized cryogenic storage boxes including the 10 x 10 format. Using True North® Cryogenic Vials can increase your freezers holding capacity by up to 23% against other major brands.

- Superior puncture- and rupture-resistance polypropylene with silicon lid seal
- Patented lid with ergonomic 1.5 twist to open and close
- Printed writing area and graduations
- Available with color-coded lids (2.0 mL version)
- Inner resealable packs of 50 vials, complete with traceable sterility certificate
- Recommended for mechanical freezers and vapor phase LN₂ (-196°)
- Sterile, non-pyrogenic and non-cytotoxic
- 2.0 mL vial measures 13 mm dia x 49 mm H, 4.0 mL 13 mm dia x 88 mm H

D disposable

*Assorted colors: blue, red, green, purple and gray

Work2Store™ Expanding Storage Box

- Holds up to 64 x 1.5/2.0 mL micro-centrifuge tubes and/or most standard cryogenic vials up to 2.0 mL
- Wells have a center depression to stabilize conical tubes and a cryogenic vial lock for one handed cap removal
- Stackable, autoclavable and with alphanumeric well identification
- Will fit into standard 2"
- Box freezer racking

A autoclavable

Closes and locks for safe storage

part no. description wells tubes open, mm closed, mm (with lid HS120018 Work2Store™ 64 1.5/2.0 mL 310 x 128 x 33.5 133 x 133 x 53 Locking tubes allow for easy-open access

See Work2Store™

in action

Reversible rack which will hold 64 x 0.5 mL micro tubes on one side and 96 x 0.2 mL micro tubes on the other side.





96 x 0.2 mL

Work2Store™ Micro

- 0.2 mL tube side has been configured to work with 8 strip, 12 strip or single tubes
- A low profile clear lid fits either side and locks the rack together for safe handling and transportation



part no.	description	wells	tubes	open, mm	closed, mm (with lid)
HS120183	Work2Store [™] Micro	64	0.5 mL	310 x 128 x 31	133 x 133 x 48
		96	0.2 mL		

Arctic Squares® Freezer Rack

Innovative horizontal drawer system for upright freezers

Constructed of corrosion-resistant stainless steel with four drawers to hold 16 boxes.

- Drawers feature a unique stop, that when fully extended pivot down allowing for easy box access
- Polycarbonate drawer handles provide a user-friendly grip. Includes a slot and label for drawer/sample identification
- Freezer rack also includes a pull-out wire handle for easy removal off the freezer shelf
- Ideal for storage of Arctic Squares®
 Cryostorage Boxes, and standard boxes up
 to 133 x 133 x 53 mm in size, all on pages 56, 57, 58
- · Fits most standard upright freezers



Polycarbonate drawer handles provide a user-friendly grip

Pivot drawer

access

compartment)

down for easy

HS2864 Horizontal 16 Boxes 4 53 mm 139 x 571 x 238





Assay Plate Freezer Rack

For Assay Plate and PCR® rack storage in upright freezers

Constructed of corrosion-resistant stainless steel with 16 (4 x 4) rack spaces

• Rack includes 3 wire handles and 4 vertical locking rods

Suggested applications: (not included)

- 96-Well Assay plates (Holds 48 each/3 per compartment)
- 24-Well Assay plates (Holds 32 each/2 per compartment)
- 96-Deep Well Assay plates (Holds 16 each/1 per compartment)
- 96-Well PCR® racks HS23461A,B,C,D
 See page 13 (Holds 16 each/1 per compartment)

config	part no.	open l x w x h, mm	overall l x w x h, mm
4 x 4	HS28624	135 x 111 x 56	543 x 112 x 230

PCR® is a registered trademark of Hoffman-LaRoch Inc.

Freezer Racks

Offering a variety of racks to safely store samples in your freezer

Choose from a wide selection of corrosion resistant stainless steel racks that are compatible with major brands of upright and chest freezers.

- All have handles for easy use
- Racks store boxes up to a 135 x 135 mm footprint and accommodate 2" tall boxes (up to 53 mm) as well as 3" tall boxes (up to 78 mm) depending on the rack model

Chest Freezer Racks					
config	part no.	box size	l x w x h, mm		
7 x 1	HS2862AB	2" (53 mm)	140 x 141 x 390		
10 x 1	HS2862A	2" (53 mm)	140 x 141 x 557		
11 x 1	HS2862AC	2" (53 mm)	140 x 141 x 613		
12 x 1	HS2862AD	2" (53 mm)	140 x 141 x 669		
13 x 1	HS2862AE	2" (53 mm)	140 x 141 x 724		
5 x 1	HS2862DA	3" (75 mm)	140 x 141 x 406		
8 x 1	HS2862D	3" (75 mm)	140 x 141 x 649		
9 x 1	HS2862DB	3" (75 mm)	140 x 141 x 730		



For more information and freezer compatibility chart visit us at www.ArcticSquares.com

Upright Freezer Rack





U	pright Free:	zer Racks	2" boxes
config	part no.	box size	l x w x h, mm
4 x 3	HS2862HA	2" (53 mm)	418 x 140 x 225
4 x 4	HS2862H	2" (53 mm)	556 x 140 x 225
4 x 5	HS2862HD	2" (53 mm)	695 x 140 x 225
5 x 3	HS2862HE	2" (53 mm)	418 x 140 x 280
5 x 4	HS2862HB	2" (53 mm)	556 x 140 x 280
7 x 4	HS2862HC	2" (53 mm)	556 x 140 x 392

Upright Freezer Racks			3" boxes
config	part no.	box size	l x w x h, mm
3 x 3	HS2862KA	3" (75 mm)	418 x 140 x 245
3 x 4	HS2862K	3" (75 mm)	556 x 140 x 245
4 x 4	HS2862KB	3" (75 mm)	556 x 140 x 326
5 x 4	HS2862KC	3" (75 mm)	556 x 140 x 407

Upright Freezer Rack Configurations

4 x 3	4 x 4	4 x 5






Handles for

easy transfer

Chest Freezer Rack

	3 x 3	







Cube Freezer Rack - Upright

For 15 and 50 mL tube box storage

Constructed of corrosion-resistant stainless steel with $6 (2 \times 3)$ rack spaces.

Suggested applications: (not included)

 15 mL and 50 mL Cardboard Cryogenic Box HS2860M - See below Transformer™ Cube HS23271A -See page 55

config	part no.	opening l x w x h, mm	overall l x w x h, mm
2 x 3	HS28622	152 x 157 x 134	459 x 159 x 271

Cube Freezer Rack - Chest

For 15 and 50 mL tube box storage

Constructed of corrosion-resistant stainless steel with 4 (4 \times 1) rack spaces.

Suggested applications: (not included)

- 15 mL and 50 mL Cardboard Cryogenic Box **HS2860M - See below**
- Transformer[™] Cube **HS23271A See page 55**

config	part no.	opening l x w x h, mm	overall l x w x h, mm
4 x 1	HS28621	152 x 156 x 133	154 x 157 x 539







Cardboard Cryogenic Boxes and Partitions

For storage of large samples and 15 and 50 mL tubes

One size box safely stores 15 and 50 mL tubes in LN₂ or mechanical freezers.

- Choose from two partitions for your tube size. Packs of 10
- Box measures: 145 x 145 x 122 mm. Packs of 10 (Order partitions separately)

part no.	description
HS2860M	15 and 50 mL Box with Lid
HS2860P	50 mL, 16 Cell Partition (4 columns x 4 rows)
HS2860T	15 mL, 36 Cell Partition (6 columns x 6 rows)

Slide Box Freezer Rack

For slide boxes, Reversible PCR® and 50-Well EPS racks in upright freezers

Constructed of corrosion-resistant stainless steel with 9 (3 x 3) rack spaces. Suggested applications: (not included)

- Microscope Slide Box HS15988H See below (Holds 18 each/2 per compartment)
- Reversible PCR® Rack **HS2344A See page 12** (Holds 9 each/1 per compartment)
- 50-Well Foam Tube Racks **HS4283P See page 59** (Holds 9 each/1 per compartment)

config	part no.	wells l x w x h, mm	overall l x w x h, mm
3 x 3	HS28623	180 x 212 x 73	541 x 217 x 221





Use with Reversible PCR® Racks, page 12



Microscope Slide Box

Store in ultra-low temperatures with confidence!

- Protect your slides in ultra-low temperature ranges down to -80°C
- Durable polycarbonate and stainless steel construction
- Safe storage and transport of 25 x 75 mm (1 x 3") slides
- Uniform grooved slide slots separate slides preventing slide contact
- Temperature-resistant numbered foam lining and identification sheet
- Stackable, autoclavable measuring 208 x 175 x 34 mm

A autoclavable

part no.	color	slides
HS15988H	Purple	100

Transformer[™] Cube

For storage of large samples and 15 and 50 mL tubes


- Robust, rugged polypropylene construction complete with two Snap-In grids
- Hold 15 mL and 50 mL tubes securely upright in deep grid wells
- Locate tubes easily with keyed lid, imprinted grid and first tube orientation
- Use without grids for larger sized product storage
- Fill with ice and use as a temporary low temperature workstation—ideal for teaching labs or those with limited bench space
- Clear lid, translucent sides and autoclavable
- Measures 125 x 125 x 129 mm. Pack of 5

A autoclavable

part no.	tubes	wells	color
HS23271A	15 mL 50 mL	16 9	Purple



www.heathrowscientific.com





Cardboard Micro Tube Boxes

Safe micro tube storage

These low profile boxes are available in two sizes to accommodate standard 0.5 mL and 0.2 mL micro tubes and vessels of a similar size. They are designed to ensure that the tubes contained will remain in their appointed well even if the box is tipped or knocked when the lid is in place. They come complete with well dividers in packs of 10

- Store in mechanical freezers or vapor phase LN₂*
- · Will fit into most standard freezer racking
- 0.2 mL tube (9.5 mm max) version has 169 wells in a 13 x 13 format
- 0.5 mL tube (12 mm max) version has 100 wells in a 10 x 10 format

uboo	walla lu wah mm	arts.	
ubes).2 mL	wells lxwxhmm . 169 133 x 133 x 29 m	qty. mm Pk/10	k/10

pa	rt no.	description	tubes	wells	l x w x h mm	qty.
HS	5120220	Cardboard Micro Tube Boxes	0.2 mL	169	133 x 133 x 29 mm	Pk/10
Н	5120221	Cardboard Micro Tube Boxes	0.5 mL	100	133 x 133 x 41 mm	Pk/10

^{*}Only tubes capable of being stored at the low temperature required must be used.

Cardboard Cryogenic Vial Boxes and Partitions

For storage of small samples, cryogenic vials, and tubes

Select the size of the box required and match the partition to your tube requirements


- Store in LN₂ or in mechanical freezers.
- Colors allow for easy identification and sorting purposes
- Bottom vent holes to allow quicker circulation and removal of cold air, vapor or LN,
- All box footprints are 133 x 133 mm, select from two different heights. Pack of 12 (Order partitions separately)


	part no.	tubes	color	height
	HS2860A	Vial Box and Lid	White	50 mm
	HS2860B	Vial Box and Lid	White	75 mm
	HS2860C	Vial Box and Lid	*	50 mm
	HS2860CB	Vial Box and Lid	Blue	50 mm
	HS2860CR	Vial Box and Lid	Red	50 mm
	HS2860CY	Vial Box and Lid	Yellow	50 mm
	HS2860E	100-Cell Partition (10 x 10)	Max. tube dia. 11.5 mm	
	HS2860H	81-Cell Partition (9 x 9)	Max. tube dia. 12 mm	
	HS2860F	64-Cell Partition (8 x 8)	Max. tube dia. 15 mm	
	HS2860G	49-Cell Partition (7 x 7)	Max. tube dia. 17.5 mm	
4	Accorted colors: b	due red and vellow		

^{*}Assorted colors: blue, red and yellow

81-Well Microtube Storage Boxes

Bottom vent holes to allow quicker circulation and removal of cold air, vapor or LN,





*Assorted colors: blue, green, pink, yellow and orange



Arctic Squares® Polycarbonate Cryostorage Boxes

Safely store vials from -196 to +121°C in mechanical freezers as well as liquid nitrogen!

Our polycarbonate boxes are designed with unique features to help orient, identify and access vials with ease.

- Hinged lid with built-in stop allows easy one-handed access to samples (not on 25 place)
- Forward-sloped base and high contrast indexing on the transparent lid ensure quick visual orientation
- Magnetic tipped forceps supplied with styles B, D, E and F. Help pick vials and remove boxes from freezer racking
- All boxes have vent and drainage holes, are stackable and autoclavable

A. 5 x 5 Array Boxes

Ideal for small sampling. Hold 25 vials. Friction fit, slide-on lid.

B. 9 x 9 Array Standard Boxes

Hold tubes in an easy-to-pick formation. Popular array makes sample retrieval simple. Hold 81 vials. Hinged lid. Includes forceps.

C. 9 x 9 Array Tall Boxes

Designed for larger vials—use with all common sizes up to 5.0 mL. Hold 81 vials. Hinged lid.

D. 10 x 10 Array Boxes

Hold the maximum number of tubes in standard footprint. Works best with internally-threaded vials such as True North® Cryogenic Vials (page 3). Hold 100 vials. Hinged lid. Includes forceps.

E. Empty Boxes

Ideal for storing various containers or a selection of different sized vials. Hinged lid. Includes forceps.

A autoclavable



Forceps included with boxes B, D, and E. Pick vials or remove box from freezer rack. Includes embedded magnet for easy storage

	part no.	description	base color	vial size, mL	l x w x h, mm	qty.
Α	HS23325A	5 x 5 Array Boxes	Ruby Red	up to 2.0	76 x 76 x 53	8/pk
В	HS23381B	9 x 9 Array Standard Boxes	*	up to 2.0	133 x 133 x 53	4/pk
C	HS23381C	9 x 9 Array Tall Boxes	Amethyst Purple	up to 5.0	133 x 133 x 96	5/pk
D	HS23300D	10 x 10 Array Boxes	Arctic Blue	up to 5.0	133 x 133 x 53	4/pk
E	HS23381E	Empty Boxes	Emerald Green		133 x 133 x 53	4/pk

^{*}Assorted colors: blue, red, green and purple.





Foam Tube Racks

High storage, minimal footprint

Lightweight microtube racks are ideal for long-term studies or tube storage.

- Two-piece racks are constructed of expanded polystyrene (EPS) foam
- Extra spacing between wells allows easy gripping with fingertips
- Racks stack securely with nesting features on lid and base
- Holds 1.5 and 2.0 mL microtubes. Pack of 10

part no.	wells	lxwxh,mm
HS4282	100	336 x 95 x 73
HS4283P	50	210 x 110 x 71

Cryogenic Vial Holders

Safely store and transport cryogenic vials

- Well tabs allow one-handed opening and closing of vials that have a slot feature
- Embossed index numbers and squared, upper left corner provide easy orientation
- Ribbed grips make handling with gloves easier
- Made from polycarbonate—can withstand both cryogenic freezing and autoclaving
- Measures 105 x 20 x 23 mm. Pack of 4

A autoclavable

part no.	wells	color
HS23229B	50	Blue





PVC Cryogenic Cane Sleeves

For extra security and sample safety

- Clear plastic sleeves protect vials in aluminum canes during handling and storage
- Safe for cryogenic freezing
- More durable than cardboard sleeves
- Transparency allows sample identification without removing sleeve
- Measure 14.5 mm dia x 275 mm long. Pack of 100

part no.	description
HS23210	Clear Cane Sleeves





Cryogenic Vial Canes

Organize cryogenic samples in dewars

Aluminum canes hold vials for freezer storage or immersion in LN₂ dewars.

- For use in liquid and vapor phase; use approved vials only
- Canes bend to fit all major cryogenic vial brands. Pack of 12

part no.	length	no. of vials	vial size
HS23205	290 mm	5	up to 2.0 mL
HS23206	300 mm	6	up to 5.0 mL



Mini Coolers

Protect temperature-sensitive samples at the bench or in the freezer

Ideal for keeping PCR® reagents, enzymes, and other biochemical reagents cool while working at the bench. Filled with insulating gel, the Mini Coolers can also be used for controlled sample freezing and for longer temperature retention samples.

- Polycarbonate construction with rubber non-slip feet
- Gridded and keyed one-position lids for easy sample identification
- 0.5 mL tube adapters supplied as standard with the 0.5–2.0 mL tube size versions
- Temperature-retention graph supplied with each of the 7 styles
- Versions available for 0.5 and 1.5/2.0 mL microcentrifuge tubes and cryogenic vials and a 96-place version for 0.2 mL tubes and assay plates



part no.	temp	tube array	no. tubes	tube sizes	color	lid	dimensions (mm)	temp retention
HS120070	0°C	3 x 4	12	0.5-2 mL	Green 📕	Clear	145 x 105 x 100	1°C for 4 hr**
HS120071	0°C	4 x 8	32	0.5-2 mL	Green 📗	Clear	245 x 105 x 100	1°C for 5 hr**
HS120072	0°C	4 x 8	32	0.5-2 mL	Green 📕	Gel Filled	245 x 105 x 100	1°C for 7.5 hr**
HS120073	-20°C	3 x 4	12	0.5-2 mL	Blue	Clear	145 x 105 x 100	-15°C for 2.5 hr**
HS120074	-20°C	4 x 8	32	0.5-2 mL	Blue	Clear	245 x 105 x 100	-15°C for 3.5 hr**
HS120075	-20°C	4 x 8	32	0.5-2 mL	Blue	Gel Filled	245 x 105 x 100	-15°C for 5 hr**
HS120076	-20°C	8 x 12	96	0.2 mL	Blue	Clear	225 x 165 x 110	-15°C for 3.5 hr

^{**} Inside rows



Refrigerator Racks

Contoured design for safe handling

Fill lower section with water or crushed ice to chill sample tubes quickly.

- Top inset tray secures tubes in place
- Molded polystyrene racks stack neatly to save benchtop space

part no.	tubes	wells	color	l x w x h, mm
HS28230A	1.5/2.0 mL	50	White	271 x 142 x 56
HS28230B	15 & 50 mL	15	White	276 x 164 x 134



Cool Containers

Conveniently nest lid beneath bucket or pan

Made of rigid single-molded polyurethane to provide the durability needed for chilling temperaturesensitive samples. With excellent insulation properties for the ultra cold, Cool Containers are ideal for ice, ice-salt slurries, and more.

- The close-fit lid keeps evaporation to a minimum and features a comfortable recessed knob
- The lid and bottom of the bucket/pan are keyed to fit together
- For low-temperature use to -196°C at 1 bar
- Taper design for easy stacking
- Precise pour spout and generous handles
- In four, color-coded, user-friendly sizes



Lid fits below bucket to save space		(
capacity	l x w x h, mm	color	
4 L	181 (H) x 234 (D)	Black Onyx	
1 L	267 x 195.5 x 114	Emerald	
4 L	381 x 254 x 140	Arctic Blue	
9 L	521 x 292 x 163	Ruby	

Ideal for ice and ice/salt slurries



Freezer Thermometer

Bucket

Pan

Pan

Pan

HS28714K

HS28721G

HS28724B

HS28729R

Protect frozen and chilled samples from potential spoilage

Monitor temperatures inside your freezer or refrigerator with the added convenience of sound and flashing LED lights to alert out-of-range temperatures.

- Suction cup attaches the probe inside freezer/refrigerator while the thermometer secures to the outside with hook-and loop tape
- Large digital display shows freezer/refrigerator temperature plus ambient temperature
- Set freezer range: 14.9° to -9.4°F (-9.5° to -23°C); set refrigerator range: 35.6° to 46.4°F (2° to 8°C)
- Switches toggle for freezer or refrigerator monitoring and °F or °C
- Includes one AAA battery
- Unit measures 136 x 19 x 28 mm; probe cable measures 0.9 m; probe measures 5 mm OD x 17 mm L

part no.	description
HS28630	Freezer Thermometer





Weighing

With our offering of disposable and reusable products, you can be sure you will have the right tool for the right job.

Spatulas

Transfer, lift, and handle powders and granular materials.

- Glazed spatula HS15906 has a Hayman-type end
- Made from nickel-plated, stainless steel wire

A autoclavable

part no.	description, mm		finish
HS15906	Flat end, 30 L; spoon, 12 L x 4 W	150	Glazed
HS15907	Round flat end, 50 L x 8 W Tapered Flat end, 45 L x 6.5 W	195	Mirror
HS15909	Flat end, 50 L; spoon, 38 L x 15 W	225	Mirror

Forceps

Disposable forceps feature corrugated handles and serrated tips. ABS. Pack of 6.

D disposable

part no.	length	tip	color	
HS15998C	111 mm	Straight	Dark Blue	

smartTOOLS for the Lab

- Size-related designs to fit perfectly with standard 0.5, 1.5/2.0, 15 and 50 mL tubes
- Ideal for dispensing or sample collection of powders or soft solids
- Shatter resistant in liquid nitrogen and resistant to dilute acids and bases and can be used with hot liquids
- Anti-static, sterile and Eco-friendly versions available
- Autoclavable and complies with FDA standards for food contact





Lab tools that scoop, scrape and stir

> **Always** there and always clean



HS120005

HS120008

HS120004

HS120003

Weighing Boats

Our flexible polystyrene boats feature smooth surfaces to provide accurate pour-outs with minimal sample loss.

- Select white, black, or blue for best color contrast to ensure sample is completely removed
- Biologically inert and resistant to dilute and weak acids, aqueous solutions, alcohols, and bases.
 Temperature range -10 to 70°C (14 to 158°F)
- Can be used with microwave moisture analyzers
- All are FDA/food-grade compliant

A. Standard Weighing Boats

Boats are shallow with a wide, flat bottom to resist tipping.

- Rounded corners simplify transfer
- Antistatic versions available
- 3 color, and sizes
- Pack of 500

B. Diamond-Shaped Weighing Boats

Features a diamond shape that easily flexes for accurate pouring and a wide, flat bottom to resist tipping.

- Antistatic versions available
- 2 color and 4 sizes
- Pack of 500



Smooth surfaces provide accurate pour-outs





	color	size	lxwxh,mm	regular material part no.	antistatic material part no.
	White	Small	46 x 46 x 8	HS1420A	HS1420AA
	White	Medium	85 x 85 x 24	HS1420B	HS1420BB
	White	Large	140 x 140 x 22	HS1420C	HS1420CC
	Blue	Small	46 x 46 x 8	HS1421A	HS120222
Α	Blue	Medium	85 x 85 x 24	HS1421B	HS120223
	Blue	Large	140 x 140 x 22	HS1421C	HS120224
	Black	Small	46 x 46 x 8	HS1423A	HS1423AA
	Black	Medium	85 x 85 x 24	HS1423B	HS1423BB
	Black	Large	140 x 140 x 22	HS1423C	HS1423CC
	White	5 mL	55 x 35 x 6	HS1424AA	HS1425AA
	White	25 mL	71 x 46 x 14	HS1424A	HS1425A
	White	30 mL	78 x 56 x 14	HS1424B	HS1425B
В	White	100 mL	119 x 90 x 19	HS1424C	HS1425C
D	Black	5 mL	55 x 35 x 6	HS1427AA	HS1426AA
	Black	25 mL	71 x 46 x 14	HS1427A	HS1426A
	Black	30 mL	78 x 56 x 14	HS1427B	HS1426B
	Black	100 mL	119 x 90 x 19	HS1427C	HS1426C
	White	Small	38 x 25 x 9	N/A	HS14251A
_	White	Medium	64 x 51 x 19	N/A	HS14251B
	White	Large	102 x 76 x 22	N/A	HS14251C
	White	X-Large	127 x 89 x 31	N/A	HS14251D
	White	Small	43 x 58 x 13	HS1419A	HS120225
D	White	Medium	83 x 132 x 26	HS1419B	HS120226
	White	Large	108 x 183 x 26	HS1419C	HS120227
E	White	Medium	90 x 90 x 7	HS1422	N/A



C. Hexagonal Weighing Boats

Bend flexible boats at points to form pour spouts. Flat bottoms and sloping sides provide accurate transfer.

- · Antistatic version only
- 1 color, 4 sizes
- Pack of 500

D. Pour-Boat Weighing Dishes

Pour-spout design easily dispenses samples without flexing the dish. Flat-bottom dishes are made from 12-mil thick polystyrene for better strength, stability, and handling.

- 1 color 3 sizes
- Pack of 500
- Antistatic versions available

E. Square Weighing Boats

Shallow boat with a wide, flat bottom to resist tipping.

- Ideal for solid product weighing
- Pack of 500
- disposable





Weighing Dishes

Dishes for general-purpose weighing, dispensing, storage, food processing, evaporating, or drying.

- Dishes also make good dust covers for open vessels
- All are FDA/food-grade compliant.

F. Aluminum Weighing Boats

Sturdy yet lightweight boats feature a smooth, flat bottom for sample handling and a flanged, crimped wall for rigidity. Finger tab handle can be etched for identification prior to weighing

- 3 sizes
- Pack of 100

G. Aluminum Weighing Dish

Designed for moisture determination balances. With slightly tapered walls for stacking. Pack of 50.

disposable







	color	size	lxwxh,mm	regular m
	Aluminum	Small	43 dia x 12 H	HS14521A
F	Aluminum	Medium	57 dia x 14 H	HS14521B
	Aluminum	Large	70 dia x 16 H	HS14521C
G	Aluminum	Large	101 dia x 8 H	HS14522

All weigh
boats and
dishes are FDA
food-grade
compliant

Weighing Papers

- Nitrogen-free for a very smooth surface and good sample recovery
- Strong enough to support dense material
- Available in 3 sizes

disposable

part no.	dimensions	qty.
HS120116	3 x 3" (76.2 x 76.2 mm)	500/pk
HS120117	4 x 4" (101.6 x 101.6 mm)	500/pk
HS120118	6 x 6" (152.4 x 152.4 mm)	500/pk



Safety

An ever expanding range of products for a safe working environment.



Wash Bottles Safety Labeled Self Venting

Clear and informative product safety information

The information provided on the front of each bottle is specific to the product contained and includes the following — the Chemical Abstract Service (CAS) No., National Fire Protection Association (NFPA) codes and symbols, Protective Equipment Symbol (PES), Target Organ Information and Hazard Codes. You also have the option of using other liquids within the bottles and creating the appropriate safety information on the outside of the bottle by using the 'Self Labeling' versions. The closure and stem are molded in one piece to make them leak-proof. The angled neck and tip provide a uniform stream of liquid and the tip can be cut back if required to increase the flow.

- Wide bottle mouth makes filling easier
- Non-metallic vent that prevents the risk of solvent leakage
- With the exception of the bottle designed for Sodium Hypochlorite, which is a white LDPE bottle for light protection and has a HDPE closure, the bottles are made from LDPE, with a PP closure
- Six named chemicals, a self labeling** and assorted pack of bottles to choose from
- 500 mL bottle size, supplied in packs of 6



HS120250	Acetone	Red
HS120251	Distilled Water	Natural
HS120252	Isopropanol	Yellow
HS120253	Ethanol	White
HS120254	Methanol	Green
HS120255	Sodium Hypochlorite	Blue
HS120256	Self labeling**	Natural
HS120257	Assorted*	





Color-coded for easy identification

Wash Bottles Color-Coded

The closure and stem are molded in one piece to make them leak-proof. The angled neck and tip provide a uniform stream of liquid and the tip can be cut back if required to increase the flow.

- Wide bottle mouth makes filling easier
- · Color-coding for user, application or location identification
- Bottle is made from LDPE, with a PP closure
- 500 mL bottle size, supplied in packs of 6

part no.	color
HS120245	White
HS120246	Red
HS120247	Yellow
HS120248	Green
HS120249	Blue



Eyewash Stations

Essential first aid for your eyes

- Frame is equipped with top and bottom holes for easy mounting to any flat surface. Screws provided
- Each station includes attached mirror, instruction cards, and one or two 1 L (32 oz) dousing bottles
- Reusable bottles ship empty. Fill bottles with saline solution or distilled water as required by your local regulations
- Loose fitting lids ensure nozzles remain dust-free between uses. Easy, one-handed inversion provides steady rinsing
- Nozzles are contoured to fit eye socket comfortably and diffuser ensures even flow
- English, Spanish, French, and German labels and instruction cards included. Not a substitute for plumbed eyewash apparatus

part no.	description	bottles	h x w x d, mm
HS1019B	Single Bottle Eyewash Station	One 32 oz (1 L)	425 x 167 x 105
HS1020B	Double Bottle Eyewash Station	Two 32 oz (1 L)	425 x 355 x 105
HS1021B	Replacement Bottle	32 oz (1 L)	86 dia x 275 H





^{*}Assorted pack includes one of each, Acetone, Distilled Water, Isopropanol, Ethanol, Sodium Hypochlorite and a Self labeling bottle

^{**}Self labeling bottles must only be used with chemicals that are safe and compatible with LDPE

DURAPORTER[™]

Transport Box

Secure, clean, visible

Ideal for transporting biological and clinical samples, as well as instruments and products that you want to keep clean and dry under testing environmental conditions. The clarity of the DuraPorter enables the user to visibly check sample integrity, so that it can be opened using the right precautions.

- Polycarbonate construction and available in three colors for user/owner identification
- Silicone water-tight seal and three lid clasps provide secure closure
- Carry handle folds neatly into body space allowing the units to be stacked
- Lid opens a full 180°, allowing total access to contents and making it easier to clean
- Will accommodate 13 and 16 mm tubes in a 72-place OneRack™ (see page 18), or similar sized/brand of rack
- Use the separators provided to create your own compartment sizes, or use empty to transport larger products and equipment
- Autoclavable and measures 380 x 196 x 160 mm

A autoclavable

part no.	color
HS120052	Clear with Blue handles
HS120077	Red with Red handles
HS120078	Yellow with Yellow handle



Load





Transport

Lock

A silicone water-tight seal and three clasps provide secure closure





Bottle Carrier


For transport of popular sized bottles

Will securely transport two 'Merck'/Winchester style bottles up to 135 mm tall and 170 mm diameter (typically 2.5 L capacity).

- Made from 304 grade Stainless Steel, with a wire mesh bottom for increased stability
- Handles fold down for easier storage
- Autoclavable and measures 370 x 180 x 380 mm with handles extended

A autoclavable

part no.	dimensions, mm
HS120092	370 x 180 x 380 (with handles extended)





smartSlicer™ Laboratory Safety Razor Blade

Say No to dangerous sharps!

At just 0.22 mm the US Patent Pending product is as thin as a single edge industrial razor blade, but much safer

- Cleanly slice agarose gels* right on the light box without scratching the surface
- · Ideal for cutting soft tissue and plant matter
- Adjust the size required by simply cutting with scissors!
- Available in two sizes and made in the USA from food grade PET
- Supplied in packs of 100

part no.	size
HS120259	19 mm H x 38 mm W x 0.22 mm thick
HS120260	25 mm H x 50 mm W x 0.22 mm thick



Eco-smartFunnel™ Paper Funnel

A clean transfer every time!

Supplied flat-pack to minimize storage space and keep it clean. With a minimal amount of finger pressure the funnel takes its working shape. A more environmentally friendly paper product that will naturally biodegrade in the standard waste stream.

- Fits a wide variety of openings and can be used with virtually any liquid* or powder
- Innovative 'backrest' allows hands-free pouring
- Maximum flexibility cut the stem to any size or shape to meet with your needs
- Supplied in Packs of 25

*not recommended for hot liquids.

part no.	description
HS120219	Eco-smartFunnel™ 186 mL cap, Top Dia. 6 cm², Bottom Dia. 0.64 cm², Height 12.8 cm







Sharps Containers

Easy to use and transport

Provides safe disposal of syringes, needles and other small sharps. Stackable to reduce storage space before use

- 1.0 L capacity (Quart) with a clear lid to view fill level
- Slide access lid for temporary and final closures for safety and security
- Built-in needle removal port, preventing direct contact with sharps
- Compatible with the Droplet® Blood Collection Tray (see page 44)
- Measures 115 W x 115 D x 192 H mm, packs of 18

part no.	description	colors
HS120177	1.0 L sharps container	Yellow
HS120178	1.0 L sharps container	Red



Grabbit™ Temp Mitts

Protect your hands from hot or cold labware

The silicone rubber mitt is designed to comfortably fit your hand. They have internal ribs in the pockets for added dexterity.

- Oversized surfaces with nubs for secure grip
- Mitts withstand temperatures from -70 to 500°F (-57 to 260°C)

A autoclavable

part no.	description	l x w x h, mm
HS1034A	Full-Hand Mitt	177 x 100 x 32



High-Temperature Gloves

Handle hot objects from autoclave to oven

These soft, pliant, terry cloth gloves provide excellent heat protection to 450°F (232°C).

- Maintain flexibility and comfort in most applications
- Two sizes available; wrist length and forearm length
- Machine washable

part no.	gauntlet	overall length
HS1031A	125 mm	345 mm
HS1031B	250 mm	485 mm

Lead Rings

Use rings to stabilize vessels and labware or to immerse in water baths.

- Vinyl-coated lead rings will not mark or scratch benchtops and labware.
- C-shape format allows some manual size variation for a customized fit

part no.	type	flask sizes	id, mm	od, mm	weight, g
HS8882A	O-Shape	125 to 500 mL	48	77	277
HS8882B	O-Shape	250 to 1000 mL	51	90	508
HS8882C	O-Shape	500 to 2000 mL	57	98	635
HS8882D	O-Shape	1000 to 4000 mL	70	115	970
HS8881A	C-Shape	125 to 500 mL	42	75	227
HS8881B	C-Shape	250 to 1000 mL	51	90	472
HS8881C	C-Shape	500 to 2000 mL	54	98	599
HS8881D	C-Shape	1000 to 4000 mL	66	113	907



Clearly Safe® Safety Glasses Dispensers

Ergonomically angled for easy dispensing

Translucent acrylic dispensers provide easy access to safety accessories.

- Hinged lid protects glasses from dust and debris
- Set on counter or wall mount (screws included)
- Large Dispenser holds approx. 20 glasses, Small Dispenser approx. 10
- Great for holding other personal items, too!

part no.	description	l x w x d, mm	color
HS1041	Small Safety Glass Dispenser	227 x 162 x 156	Blue
HS1040A	Large Safety Glass Dispenser	203 x 203 x 406	Blue



Biohazard Disposal Bags

For personal or general lab use, sizes to suit all needs

- A range of biohazard collection bags printed with biohazard warning symbol and precautions in English, Spanish, and French
- Available in 2 thicknesses of polypropylene
- Includes an indicator patch that darkens when autoclaved
- Epoxy coated steel wire holder available for bags HS1003D & HS10320
- Autoclavable to 250°F (121°C)
- **A** autoclavable
- **D** disposable

part no.	description	thickness, mil	w x l, mm
HS1003D	Bag, Case of 1000	1.5	215 x 300
HS10320	Bag, Case of 500	1.57	203 x 305
HS10321	Bag, Case of 200	1.57	356 x 483
HS10322	Bag, Case of 200	1.57	483 x 584
HS10323	Bag, Case of 200	1.57	635 x 838
HS10044H	Bag Holder		

Autoclavable Bags

Clear bags imprinted with blue

biohazard labeling designed for safe disposal.

- Constructed of 2.0 mm thick polypropylene, allowing for repeated autoclaving
- Strong side seams for securely holding items
- Front write-on panel. Autoclavable at 250°F (121°C).
- 4 inner packs of 50 bags, sold as a case of 200





part no.	w x l, mm
HS1002A	310 x 660
HS1002B	415 x 600
HS1002C	610 x 810



Heat Sealer with Cutter

Quickly and efficiently seal polyethylene or polypropylene bags, sheets or flat tubing from 0.01 to 0.8 mm thick. Sliding blade removes excess material 19 mm from the seal.

- Timing knob ensures safe sealing. Simply turn knob to set time (1-8 seconds), press handle down and remove when light indicates cycle is complete
- Heating element measures 310 mm long and is only hot when sealing
- Includes replacement part kit: two extra blades, two extra heating elements and two extra PTFE cloths
- Additional replacement part kits can be ordered separately
- Measures 86 mm W x 446 mm D x 166 mm H (closed), 450 Watt unit with a 153 cm power cord

part no.	description	plug type	
HS28270	220/230 VAC	U.K.	
HS28271	220/230 VAC	Cont. Europe/Israel	$\langle \bullet \bullet \rangle$
HS28272	110/120 VAC	U.S./Taiwan/Japan	II
HS28280		Replacement Part Kit	





VIICYOOLOGY Plating out, corecovery made and innovative

Plating out, colony counting and recovery made easy with reliable and innovative products.

Complete system for easy counting eCount™ Package Includes: **Thumb Button** • Sharpie® pen for highly visible allows you to use the marks on both plastic and glass eCount[™] as a digital • Long-life button battery

> Weighted stand for bench top use

- Includes NEW Hand tally adapter Counts without marking
- Weighted stand for convenient bench top use

tally counter as well!







Permanent clear and fine marking made easy

Specially formulated, water-resistant and freezer safe marker pens. When used on dry glass, metal, or porcelain surfaces, ink will not smear when subjected to water. Requires the use of solvent if removal is required. Perfect to use on Diversified Biotech labels (see page 86, 87) and recommended replacements/extras for the eCount™ Colony Counter (opposite page).

Count"

Dual-Tip Colored Sharpie® Pens

- Bright selection of colors offers instant visual recognition
- Combines a fine tip at one end and an ultrafine tip at the other end, perfect for a larger range of labeling requirements
- Supplied as a pack of 8 with one of each of the following colors— Berry, Black, Lime, Navy, Orange, Purple, Sky Blue, and Turquoise

Standard Black Sharpie® Pens

- Strong fine tip will keep its shape much longer than other brands of pens
- Long lasting, supplied in packs of 12

part no.	description	color	qty.
HS15094	Sharpie® Dual-Tip Pen Set	Assorted	8/pk
HS15092ZP	Sharpie® Standard Fine Pens	Black	12/pk





Sharpie® is a registered trademark of Sanford, A Newell Rubbermaid Company



Mini -Light Box & Mini-Magnifier


Perfect accessories for the eCount® or use as stand-alone items

Mini Light Box saves bench space and can be stored in a drawer.

- Viewing area (10 x 127 mm) is perfect for guick screening of 96-well plates, Petri dishes, electrophoresis gels, slides, and transparencies
- Powered by four AA batteries (included). Measures 161 x 135 x 44 mm
- Mini Magnifier enlarges objects for easier viewing
- Swiveling, molded lens. 1.75X magnification
- Lens measures 185 x 100 mm; stand measures 207 mm H

part no.	description
HS15093	Mini Light Box, With Batteries
HS15092D	Mini Magnifier






smartPicks® Inoculation Picks

The 'smart' way to isolate individual colonies

Available in three lengths and two needle sizes to suit a wide range of application needs. The Mini fits neatly into a 1.5 mL microfuge tube allowing the lid to be closed for full sample transfer/recovery.

- · Naturally biodegradable, made from 100% USA grown White Birch wood
- · Manufactured in an FDA-registered factory and comply with FDA standards for food contact
- Autoclavable and available in semi or needle point styles for delicate operations



part no.	description	qty.
HS120009	Mini, Semi Point, 1.28", Fits 1.5 mL tube (closed)	2000/pk
HS120010	Mini, Needle Point, Fits 1.5 mL tube (closed)	2000/pk
HS120011	Standard, Semi Point, 2.5" Single Tip	1500/pk
HS120012	Standard, Needle Point, 2.5" Single Tip	1500/pk
HS120013	Large, Semi Point, 6" Single Tip	500/pk
HS120014	Large, Needle Point, 6" Single Tip	500/pk

Inoculating Needle/Loops

Combination provides choice to spread or pick colonies and cultures

Transfer bacterial cultures without risk of contamination.

- Use loop end to uniformly streak a gel surface
- Use needle end for removal of colonies
- Choose between flexible polypropylene or the more rigid ABS versions
- Disposable, Sterile, 20 per zip bag with lot-to-lot traceability
- Measures 200 mm L x 4 mm dia. Pack of 1000

disposable





part no.	description	material
HS81121A	1 µL Loop	Flexible PP
HS81121B	1 µL Loop	Rigid ABS
HS81121C	10 μL Loop	Flexible PP
HS81121D	10 μL Loop	Rigid ABS

esign | function | innovation



part no.	description	sterile	bar x dia, mm	qty.
HS8151	Delta™	Yes, single wrap	172 x 37 x 4	500/pk
HS8171A	L-Shape	Yes, single wrap	146 x 38 x 4	500/pk
HS8171B	L-Shape	Yes, 10 Wrap	146 x 38 x 4	500/pk
HS86655	Stainless Steel	No	203 x 33 x 4	each

Petri Dish Dispenser

- Sturdy acrylic holds up to 30 x 100 mm dishes in two easy-access partitions
- Bench top or wall mountable (screws provided)
- Measures 222 x 107 x 236 mm

part no.	description	ŀ
HS23452	Acrylic Petri Dish Dispenser	
		6

Wire Petri Dish Holder

- Holds up to 6 x 100 mm Petri Dishes
- Epoxy-coated steel wire
- Measures 127 x 86 x 107 mm

A autoclavable

part no.	description	R
HS23455	Wire Petri Dish Holder	8 3



Storage

Simple and practical solutions to help reduce bench clutter and keep what you really need close at hand.



Droplet® Sample Storage Tray

Sample organization for the busy lab

Durable storage trays that can be used for the transportation and storage of general lab products, or with the insert tray provided for specimen containers.

- Large, usable, easy to clean surface area enables products of all shapes and sizes to be contained
- Stackable with other trays to support as many as four high
- Integrated label holder and cards to enable easily changed identification
- Lightweight and sturdy insert to hold up to 24 full specimen containers (up to 58 mm in diameter). Specimen containers not included
- Able to be cleaned with common disinfectants and germicides

• Tray dimensions 480 x 331 x 84 mm

part no.	description
HS120172	Droplet® Sample Storage Tray



Transportation
of general lab
products and
storage
of specimen
containers



Drawer Organizer

Keeps supplies organized and easily accessible

Polystyrene organizer is perfect for storing and organizing small laboratory supplies.

- Protect small and fragile items
- Fit in most standard drawers or store on benches and shelves
- Dimensions: 460 x 307 x 63 mm

part no.	description
HS2538A	3-Compartment Tray: 2 compartments measure 430 x 80 mm 1 compartment measures 430 x 110 mm



MAGLab Jeries

MagLab™ Series

Create lab storage space—off your bench top

Easily organize common lab products off your bench top with the MagLab™ storage system. Each rack is made of robust ABS plastic in a bright translucent color and features four powerful magnets for a secure hold onto most metal surfaces, or create your own holding point with the metal plate provided.

- MagRack[™] holds four 50 mL tubes and nine 15 mL tubes
- MagWipe™ holds a standard (110 x 210 mm) Kimwipes® box
- MagPette[™] holds two pipettors (fits most popular styles)
- MagBox[™] holds miscellaneous accessories
- Use the MagLab™ self-adhesive mounting plates for use on non-metallic surfaces
- The MagLab[™] Series is available individually or as a pack of four







Clearly Safe® Workstation Storage Bin

The essential combination accessory holder

Organize your most commonly used laboratory disposables in one central location.

MAGLOS

- Acrylic unit has room to store gloves, Kimwipes®, and Parafilm®
- Use bins to store tubes, tips, etc.
- Measures 265 x 137 x 440 mm

part no.	description
HS234523	Workstation Storage Bin

Parafilm® is a registered trademark of Bemis Inc.

Benchtop Dispensing Bins

Work great with gloved hands, bright colors!

Ergonomically designed with large, angled openings and oversized lip.

- Lid remains open when tilted back
- Nonskid rubber feet and pre-drilled holes for wall mounting
- · Green bin includes a removable divider
- Mounting screws included

part no.	colors	compartments	w x h x d, mm
HS23411	Neon Green	Dual	180 x 155 x 165
HS23412	Neon Blue	Single	155 x 155 x 170





Pipette Workstation

Organize your pipette and tips

Keep pipette and disposable tips together in one convenient stand.

- Acrylic rack holds up to four pipettors on top shelf
- Dual bins house two different sizes of tips. Self-closing lids provide dust-free storage
- Oversized lip on lid allows for easy access even when wearing gloves
- Measures 244 x 165 x 246 mm

part no.	description
HS234631	Pipette Workstation

HS23401

HS23402

HS23403

One

Two

Three

180 x 175 x 235

139 x 160 x 368

210 x 155 x 212

Workstation Dispensing Bins

Crystal-clear bins let you see your small items inventory

See inventory levels of pipette tips, tubes, fittings, finger cots, and other bulk small items at a glance.

• Flip-top covers on generous openings make filling and dispensing easy and keep products dust-free



Modular Glove Box Holders

Available infused with Microban® for anti-microbial protection!

The Anti-Microbial version (blue) is ideal for use in clean rooms, hospitals, and microbiological work areas. The Microban additive prevents growth of molds and bacteria.

- High-impact, durable resin is resistant to harsh cleaning solutions
- Modular design allows single boxes or horizontal stacking for multiple box holder
- Universal fit for most major brands of glove boxes
- · Mounting screws included
- Each unit measures 254 x 156 x 97 mm. Pack of 3

part no.	description	color
HS120258	Modular Glove Box Holder	White
HS23491A	Modular Glove Box Holder, Anti-Microbial	Blue



Microban® antimicrobial protection has been built-in to our antimicrobial glove boxes during manufacturing. When microbes, such as bacteria, mold, and mildew that can cause stains, odors and product deterioration come in contact with the glove box surface, Microban protection penetrates the cell wall of the microbe and disrupts key cell functions so that the microbe cannot function, grow, or reproduce. Microban protection is an intrinsic part inside and at the surface and will not wash off or wear away for the useful lifetime of the glove box.







Glove Box Holders

Keep gloves organized and ready for immediate use

Free up benchtop space by mounting holders on wall for easy dispensing of gloves.

- Clear acrylic holders include a polyester foam insert to securely hold a range of glove box sizes—snug fit ensures easy removal of gloves
- Sturdy, epoxy-coated steel wire racks are an economical solution
- All holders fit most major brands of boxes
- Mounting screws included

part no.	description	material	wxhxd, mm
HS23471A	1-Box Holder	Acrylic	141 x 260 x 110
HS23471B	2-Box Holder	Acrylic	295 x 260 x 110
HS23471C	3-Box Holder	Acrylic	295 x 385 x 110
HS23457	1-Box Holder	Wire	140 x 209 x 108
HS23458	3-Box Holder	Wire	250 x 454 x 108



Wall Holder 4 Position Adjustable

Not just for glove boxes! Ideal for gloves, face masks, shoe covers... etc.

The adjustable holding points provide true flexibility to hold up to four different boxed protective products and other lab essentials (size dependent)

- Ideal for holding different boxed sizes of gloves, mop caps, ear plugs,
 - face masks, shoe covers etc.
- Adjustable universal fit, easy to clean, with a low profile
- Wall-or door-mountable, mounting hardware included
- Measures 152 x 762 x 76 mm

part no.	description	l x w x d, mm
HS120107	Adjustable Wall Holder	152 x 762 x 76 mm





Lab Wipe Holders

Holds Kimwipes® and other major brands

Clear acrylic holders fit boxes of small or large lab wipes.

- Mount on a shelf or wall
- The smaller version attaches with double-stick tape and the larger version with screws
- · Mounting materials included

part no.	description	l x w x d, mm
HS234521	Small Holder	118 x 122 x 84
HS234522	Large Holder	320 x 127 x 97

Storage Racks for 80-Well Racks

Strong, clear acrylic construction

These racks help you keep large numbers of microtubes organized on your benchtop.

- Holds up to eight 80-well microtube racks filled with either 1.5 or 2.0 mL microtubes - See page 12
- Plenty of room to slide the racks in and out

part no.	description	l x w x d, mm
HS23263A	Vertical Rack	157 x 236 x 234
HS23263B	Horizontal Rack	310 x 236 x 122









Ergonomically angled for easy dispensing

Translucent acrylic dispensers provide easy access to safety accessories.

- Hinged lid protects glasses from dust and debris
- Set on counter or wall mount (screws included)
- Large Dispenser holds approx. 20 glasses, Small approx. 10
- Great for holding other personal items, too!

part no.	description	lxwxd, mm	color
HS1041	Small Safety Glass Dispenser	227 x 162 x 156	Blue
HS1040A	Large Safety Glass Dispenser	203 x 203 x 406	Blue



Soft Cover Dispenser

Store and dispense with ease

Translucent acrylic dispensers provide easy access to safety accessories.

- · Hinged lid protects contents from dust and debris
- Set on counter or wall mount (screws included)
- Great for holding other personal items, too!

part no.	description	l x w x d, mm	color
HS1042C	Soft Cover Dispenser	227 x 162 x 156	Natural



Earplug Dispenser

Translucent acrylic dispensers provide easy access to safety accessories.

- Holds approximately 200 pairs of foam earplugs
- Set on counter or wall mount (screws included)

part no.	description	l x w x d, mm	color
HS1040B	Earplug dispenser	227 x 162 x 156	Green



Three-in-One Dispenser

Three separate lift-up lids make loading and dispensing supplies easy.

Three-compartment dispenser can be used to organize safety glasses, earplugs, soft covers (including bouffant caps, beard covers, shoe covers) or any small items that need to be kept within reach. The unit includes screws for wall mounting or can be set on a counter.

- Middle compartment has reach-in hole for dispensing
- Durable acrylic is see-through so product levels are always visible

part no.	description	l x w x d, mm	color
HS1042	Three-in-One dispenser	406 x 406 x 203	Grey





Storage Rack for Microscope Slide Boxes

Create a file system for 50- and 100-place slide boxes (See pages 38-39)—storage rack makes organization of samples easy.

- Clear acrylic construction allows the labels to be seen on the slide boxes
- Place boxes in rows or columns by color to create an easy coding system

part no.	bins	l x w x h, mm
HS159890B	15	711 x 171 x 228



Tubby® Container

Sturdy storage tub with lid and divider

Our handy Tubby® stackable storage container is designed to help organize a laboratory. The removable dividers can create as big or as small a compartment as needed. Perfect for keeping tubes, tips, pipettes, gloves, and other small items organized and out of the way.

 The lid snaps in place to secure the contents and for safe transport

part no.	description	qty.	l x w x d, mm
HS23453	Tubby	Pk/5	330 x 200 x 115

Wire Drying Rack

Saves glassware from chips and cracks


Drain and dry test tubes, beakers, flasks, and other labware. Place self-standing rack on a table or near a sink, or use hooks to hang rack on the wall.

- Holds up to 90 pieces of labware on 18 x 127 mm pins and 72 x 76 mm pins
- Constructed of spot-welded, vinyl-coated steel wire for durability
- Easily accessible and removable bottom drainage pan
- Overall dimensions 462 x 182 x 525 mm

part no.	description
HS23243A	Wire Drying Rack







Test Tube Baskets


Ideal for washing and storing test tubes

Strong baskets for use with mechanical washers and autoclaves.

- Two versions available, epoxy-coated steel, or the lighter weight aluminum style
- Will withstand repeated autoclaving and use in the lab

A autoclavable

	part no.	material	l x w x h, mm
A.	HS20341A	Aluminum	152 x 152 x 152
B.	HS20341B	Aluminum	256 x 152 x 152
C.	HS20341C	Aluminum	332 x 228 x 178
D.	HS120082	Coated steel	125 x 125 x 125
E.	HS120083	Coated steel	150 x 150 x 150
F.	HS120084	Coated steel	332 x 228 x 178



Offering sample protection and identification across a wide range of tubes and vials. Efficient and unique dispensing solutions for the benchtop.

Label Station

Organize your labels for easy accessibility

Portable label station holds up to six standard size boxes of Tough-Tags®, Cryo-Babies®, and Tough-Spots®. Just drop the box in the label station and feed the paper through the slot. Labels shown not included, order separately.

- Acrylic station includes a writing surface, a cutting edge for easy dispensing, and non-skid rubber feet
- Counter-sunk holes provided for wall mounting
- Translucent blue

part no.	description	color	w x h x d, mm
HS23460	Label Station	Blue	280 x 120 x 89



Sharpie® Marker Pens

Permanent clear and fine marking made easy

Specially formulated, water-resistant and freezer safe marker pens. When used on dry glass, metal or porcelain surfaces, ink will not smear when subjected to water. Requires the use of solvent if removal is required. Perfect to use on Diversified Biotech labels (see page 87) and recommended replacements/extras for the eCount™ Colony Counter (see page 72).

Dual-Tip Colored Sharpie® Pens

- Bright selection of colors offers instant visual recognition
- Combines a fine tip at one end and an ultrafine tip at the other end, perfect for a larger range of labeling requirements
- Supplied as a pack of 8 with one of each of the following colors— Berry, Black, Lime, Navy, Orange, Purple, Sky Blue, and Turquoise

Standard Black Sharpie® Pens

- Strong fine tip will keep its shape much longer than other brands of pens
- Long lasting, supplied in packs of 12

part no.	description	color	qty.
HS15094	Sharpie® Dual-Tip Pen Set	Assorted	8/pk
HS15092ZP	Sharpie® Regular Fine Tip Pens	Black	12/pk





Sharpie® is a registered trademark of Sanford, A Newell Rubbermaid Company



Tungsten-Point Lab Pen

Permanently mark glass slides, test tubes, and labware

Sharp, tungsten carbide tip etches glass, ceramic, and plastic.

- Retractable tip for safe storage
- Measures 9.8 mm dia x 137 mm L

part no.	description
HS1846	Tungsten-Point Lab Pen

86


Cryo-Babies® and CryoTags® Low Temperature Labels

For secure uncompromised labeling

- Temperature resistance -196°C to 150°C. Liquid and vapor phase LN₂, water baths to 100°C and autoclaving and moderate ovens to 150°C
- Chemically inert resistant to most solvents and caustic agents. Adhere to most plastics (100% virgin PP tubes recommended), glass and metals without cracking, peeling, or degrading
- Label sheets will not jam printers. Flexible polyolefin material and acrylic adhesive. Unique combo expands and contracts together with temperature fluctuations







Cryo-Babies®, CryoTags®, Tough-Spots®, Tough-Tags®, PetriSEAL™, ContainerSEAL™ and DuraSEAL™ are registered trademarks of Diversified Biotech.

Las	er Cryo-E	Babies® and CryoTa	gs® on sheets (2	20 sheet	s per Pack)	
code	color	label size	sheet layout	labels/ sheet	ideal use	no. labels
HEALCRY-2380(x)	Specify	0.94" x 0.5"/24 x 13 mm	7 Across/17 Down	119	0.5 mL Tubes	2,380
HEARNBW-2300	Rainbow*	0.94" x 0.5"/24 x 13 mm	7 Across/17 Down	119	0.5 mL Tubes	2,380
HEALCRY-1700(x)	Specify	1.28" x 0.5"/33 x 13 mm	5 Across/17 Down	85	1.5 mL Tubes	1,700
HEARNBW-2200	Rainbow*	1.28" x 0.5"/33 x 13 mm	5 Across/17 Down	85	1.5 mL Tubes	1,700
HEAMINI-1700	White	1.28" x 0.5"/33 x 13 mm	3 Across/17 Down	51	1.5 mL Tubes	1,020
HEALCRY-1200(x)	Specify	1.50" x 0.75"/38 x 19 mm	5 Across/12 Down	60	General	1,200
HEARNBW-2100	Rainbow*	1.50" x 0.75"/38 x 19 mm	5 Across/12 Down	60	General	1,200
HEALCRY-1100(x)	Specify	1.69" x 0.75"/43 x 19 mm	4 Across/13 Down	52	Cryogenic Vials	1,040
HEARNBW-2000	Rainbow*	1.69" x 0.75"/43 x 19 mm	4 Across/13 Down	52	Cryogenic Vials	1,040
HEASIDE-1000(x)	Specify	1.50" x 0.25"/38 x 6 mm	4 Across/39 Down	156	Microplates	3,120
HEARNBW-2400	Rainbow*	1.50" x 0.25"/38 x 6 mm	4 Across/39 Down	156	Microplates	3,120
HEALCRY-1258(x)	Specify	2.625" x 1.0"/67 x 25 mm	3 Across/10 Down	30	Racks & Boxes	600
HEARNBW-2500	Rainbow*	2.625" x 1.0"/67 x 25 mm	3 Across/10 Down	30	Racks & Boxes	600

CRYO-BABIES

CRYO-BABIES"

CRYO-BABIES

CRYO-BABIES

To Specify color, substitute (x) with a letter - B=Blue, G=Green, O=Orange, R=Red, Y=Yellow

^{*}Rainbow packs contain 4 sheets of each Blue, Green, Orange, Red, Yellow

Tough-Spots® Tube Labels

Pre-cut peel off labels for tube tops

- Resistant to most solvents and caustic agents. Adhere to most plastics, glass, and metals without cracking, peeling or degrading
- Label sheets will not jam printers. Flexible polyolefin material and acrylic adhesive

A autoclavable

D disposable

Tough-Spots® on a roll

part no. color label size ideal use	labels/roll
partito. Color label size lucal use	labets/folt
HEATS-TNY White 3/16"/4.8 mm 0.2 mL Tub	bes 1500
HEAT-SPOTS White 3/8"/9.5 mm 0.5 mL Tub	bes 1000
HEAT-SPOTS-(x) Specify 3/8"/9.5 mm 0.5 mL Tub	bes 1000
HEATSPOTS-50 White ½"/13 mm 1.5/2.0 mL	Tubes 1000
HEATSPOTS-50(x) Specify ½"/13 mm 1.5/2.0 mL	Tubes 1000
HEAT-SPOTS-44 White 7/16"/11 mm 1.5/2.0 mL	Tubes 1000
HEAT-SPOTS-75 White ³ / ₄ "/19 mm 15–50 mL	Tubes 500
HEAT-SPOTS-100 White 1.0"/25 mm 50 mL Tub	oes 500



To Specify color, substitute (x) with a letter: B=Blue, C=Coffee, D=Gold G=Green, L=Lavender, M=Maroon, O=Orange, P=Pink, R=Red, S=Silver, Y=Yellow


Laser Tough-Spots® On sheets. 20 sheets per pack

part no.	color	label size	sheet layout	labels/sheet	ideal use	no. labels
HEASPOT-1(x)00	Specify	³/s"/9.5 mm	12 Across/16 Down	192	0.5 mL Tubes	3,840
HEARNBW-1000	Rainbow*	³/₃"/9.5 mm	12 Across/16 Down	192	0.5 mL Tubes	3,840
HEASPOT-2(x)00	Specify	½"/13 mm	12 Across/16 Down	192	1.5-2.0 mL Tubes	3,840
HEARNBW-1100	Rainbow*	½"/13 mm	12 Across/16 Down	192	1.5-2.0 mL Tubes	3,840
HEASPOT-5000	White	⅓₁6"/11 mm	13 Across/18 Down	234	1.5-2.0 mL Tubes	4,680
HEASPOT-3000	White	³ / ₄ "/19 mm	9 Across/12 Down	108	15–50 mL Tubes	2,160
HEASPOT-4000	White	1.0"/25 mm	7 Across/8 Down	63	50 mL Tubes	1,260

To Specify color, substitute (x) with a number: 0=White, 1=Blue, 2=Green, 3=Orange, 4=Red, 5=Yellow; *Rainbow packs contain 4 sheets of each.

Tough-Tags® On a Roll of 1000

part no.	color	label size	ideal use
HEATT-TNY	White	0.81" x 0.28" / 21 x 7 mm	0.2 mL Tubes
HEATTSW-1000	White	0.94" x 0.5"/ 24 x 13 mm	0.5 mL Tubes
HEATTS(x)-1000	Specify	0.94" x 0.5" / 24 x 13 mm	0.5 mL Tubes
HEATTLW-1000	White	1.28" x 0.5" / 33 x 13 mm	1.5/2.0 mL Tubes
HEATTL(x)-1000	Specify	1.28" x 0.5" / 33 x 13 mm	1.5/2.0 mL Tubes
HEATTGP-1000	White	1.50" x 0.75" / 38 x 19 mm	General
HEATT-SWALL	White	1.50" x 0.25" / 38 x 6 mm	Microplates





Laser Tough-Tags® On sheets. 25 sheets per pack

part no.	color	label size	sheet layout	labels/sht	ideal use	no. labels
HEATTSW-2240	White	0.94" x 0.5"/24 x 13 mm	7 Across/17 Down	119	0.5 mL Tubes	2,975
HEATTSW-2240(x)	Specify	0.94" x 0.5"/24 x 13 mm	7 Across/17 Down	119	0.5 mL Tubes	2,975
HEARNBW-3100	Rainbow*	0.94" x 0.5"/24 x 13 mm	7 Across/17 Down	119	0.5 mL Tubes	2,975
HEATTLW-2016	White	1.28" x 0.5"/33 x 13 mm	5 Across/17 Down	85	1.5/2.0 mL Tubes	2,125
HEATTLW-2016(x)	Specify	1.28" x 0.5"/33 x 13 mm	5 Across/17 Down	85	1.5/2.0 mL Tubes	2,125
HEARNBW-3000	Rainbow*	1.28" x 0.5"/33 x 13 mm	5 Across/17 Down	85	1.5/2.0 mL Tubes	2,125
HEATTGP-1050	White	1.50" x 0.75"/38 x 19 mm	5 Across/12 Down	60	General	1,500
HEATTGP-1050(x)	Specify	1.50" x 0.75"/38 x 19 mm	5 Across/12 Down	60	General	1,500
HEARNBW-3200	Rainbow*	1.50" x 0.75"/38 x 19 mm	5 Across/12 Down	60	General	1,500
HEAMISL-1000	White	0.875" x 0.875"/22 x 22 mm	8 Across/12 Down	96	Microscope Slides	2,400
HEAMISL-1000(x)	Specify	0.875" x 0.875"/22 x 22 mm	8 Across/12 Down	96	Microscope Slides	2,400
HEARNBW-3300	Rainbow*	0.875" x 0.875"/22 x 22 mm	8 Across/12 Down	96	Microscope Slides	2400

To Specify color, substitute (x) with a letter: B=Blue, G=Green, O=Orange, R=Red, Y=Yellow; *Rainbow packs contain 5 sheets of each.

ABS Dispenser for Parafilm® Sealing Film

Unique design for maximum safety

Store, dispense, and cut Parafilm®, tape, labels, and Tough-Tags®.

- ABS plastic dispenser designed with a safety razor that slides and cuts with no danger to fingers. Supplied with two easily exchanged cutting blades
- Dispenser holds one or two 50 mm (2-inch) rolls, or one 100 mm (4-inch) roll

part no.	description	color	w x h x d, mm
HS234525B	ABS Dispenser	Blue	120 x 156 x 171
HS234525C	ABS Dispenser	Green	120 x 156 x 171
HS234525D	ABS Dispenser	Red	120 x 156 x 171
HS234525R	Replacement blades	s for ABS dispenser	, pack of 5

Parafilm® is a registered trademark of Bemis Company, Inc.





Acrylic Dispenser for Parafilm® Sealing Film

Heavy-duty construction for increased durability

Store, dispense, and cut Parafilm®, tape, labels, and Tough-Tags®.

- Strong, crystal-clear acrylic dispenser makes your film supply visible and features a serrated cutting blade
- Dispenser holds one or two 50 mm (2-inch) rolls, or one 100 mm (4-inch) roll

part no.	description	w x h x d, mm
HS234524	Acrylic Dispenser	119 x 168 x 175

Parafilm® Sealing Film

Colorless, moisture-proof film molds to surface

Parafilm® M is a semi-transparent, flexible, thermoplastic film with two-way stretch.

 Non-toxic and free from plasticizers, primarily composed of polyolefins and paraffin waxes offering good resistance against acids, alkalis and some organic solvents—use not recommended with acetone, diethyl ether or tetrachloride

• Will stretch 200% and adhere to irregular shapes and surfaces to provide a secure seal

disposable

part no.	film width	roll length	w x h x d, mm
HS234526A	50 mm (2-inch)	75 m	135 x 58 x 132
HS234526B	100 mm (4-inch)	38 m	132 x 135 x 112
HS234526C	100 mm (4-inch)	75 m	135 x 107 x 132





Durable heat-resistant, solvent-proof Laboratory stretch film

- Heat-resistant and microwave compatible for temperatures up to 100°C (boiling water)
 - Highly resistant to solvents and caustic agents
 - Film can stretch 500-800% before breaking or tearing
- Forms an airtight barrier and is twice as long as some other brands!

disposable



part no.	size	ideal use
HEADS1-150	25 mm x 46 m/1.0" x 150'	Tubes/Vials
HEADS2-500	50 mm x 152 m/2.0" x 500'	Beakers
HEADS4-250	100 mm x 76 m/4.0" x 250'	Jars/Bottles
HEADS4-500	100 mm x 152 m/4.0" x 500'	Jars/Bottles
HEADS5-150	127 mm x 46 m/5.0" x 46'	Large Containers

PetriSEAL™ and ContainerSEAL™

Sealing tape for Petri Dishes, Microplates, lids and caps

- Seal remains flexible even with intermittent exposure to 100°C
- Tape stretches, conforms and seals to irregular perimeters
- Waterproof and chemically resistant to most solvent and caustic agents

D disposable

part no.	size	description
HEAPSEAL-108B	13 mm x 33 m/0.5" x 108'	PetriSEAL Blue
HEAPSEAL-108C	13 mm x 33 m/0.5" x 108'	PetriSEAL Clear
HEAPSEAL-108R	13 mm x 33 m/0.5" x 108'	PetriSEAL Red
HEAPSEAL-108Y	13 mm x 33 m/0.5" x 108'	PetriSEAL Yellow
HEAPSEAL-108W	13 mm x 33 m/0.5" x 108'	PetriSEAL White
HEACSEAL-75R	8.5 mm x 33 m/0.75" x 108'	ContainerSEAL Red
HEACSEAL-75W	8.5 mm x 33 m/0.75" x 108'	ContainerSEAL White
HEACSEAL-75Y	8.5 mm x 33 m/0.75" x 108'	ContainerSEAL Yellow
HEACSEAL-XLR	25 mm x 33 m/1.0" x 108'	ContainerSEAL Red XL
HEACSEAL-XLW	25 mm x 33 m/1.0" x 108'	ContainerSEAL White XL
HEACSEAL-XLY	25 mm x 33 m/1.0" x 108'	ContainerSEAL Yellow XL



Foil Rolls

Designed for easy use and minimal waste

Custom-sized pieces of foil can easily be created for covering small surfaces such as beakers, flasks, tubes and Petri dishes.

- Ideal for autoclaving, freezing, incubating, protecting labware, lining, sealing, and general storage
- Two sizes available. Designed to fit the Mini Bin™ Foil Dispenser

D disposable

part no.	description	roll length
HS23534A	102 mm (4-inch) length Foil Roll	152.4 m
HS23536A	153 mm (6-inch) length Foil Roll	152.4 m





Mini Bin™ Foil Dispenser

Safely cut foil to any size

The Mini Bin Foil Dispenser is a great alternative to wasteful giant-sized foil rolls and expensive precut foil squares.

- Compact to fit in limited work space areas and easy to transport
- Safe to use—load the foil roll, press the cover to activate the safety guard
- Foam strip prevents foil retracting back into unit
- For use with 102 mm or 153 mm (4 or 6 inch) length foil rolls (sold separately)
- Measures 190 x 100 x 112 mm

part no.	w x h x d, mm
HS23520A	190 x 100 x 112



Timers & Notebooks

With a wide selection of timers, track single or multiple tasks and record your results in our high quality notebooks.

Laboratory Notebooks

For recording research data, experimental procedures, and design ideas, use these notebooks to keep information safe and well organized.

- Numbered, acid-free, pages include spaces for title, project number, book number, date, and witness signature
- Lined notebooks feature college-ruled pages for easy report writing
- Covers for all versions are waterproof and chemical-resistant
- All notebooks contain periodic and conversion tables in the back
- Measures 218 x 281 mm

part no.	description	page format	color	qty.
HS8610A	100-Page Notebook	Grid	Black	12/cs
HS8610B	200-Page Notebook	Grid	Blue	12/cs
HS8610D	200-Page Notebook	Lined	Red E	12/cs





Time Tracker®

Makes it easy to monitor your process from a distance! Designed like a traffic signal so the meaning of each light is intuitive. Green light means less than half done; yellow means more than half done, and red means finished.

- Programmable time
- Six different audible alerts. With LCD display
- LCD with 8 mm high characters, 10 characters across. Operates on 110 VAC adapter (included)
- Measures 112 x 118 x 230 mm

part no.	description
HS24651	Time Tracker



Time Tracker® Mini

Based on the Original Time Tracker, the Mini is an economical option intended for easy use.

- Total alarm time ranges from 5 to 120 minutes in 5-minute increments
- Visual indicator features lighted dome. Green light during count down; yellow for the designated "warning" time; red when time has expired
- · Volume control and audible warning alarm
- Requires 3 AAA batteries, not included. Measures 83 x 83 x 121 mm

part no.	description
HS24653	Time Tracker Mini















A. Pocket Timer/Stopwatch/Clock

- Four independent timing channels with visual and audible alarms
- Use as a stopwatch, a count up/down timer, or a clock
- Includes spring clip and magnetic back

B. Triple Timer/Clock

- Three channels to count up/down with
- Simultaneous display, time-out, and 60 second audible alarm
- · Channels may be started independently or simultaneously
- Timer automatically counts up after counting down to zero
- Memory recall

C. Digital Sand Timer/Clock

- Watch the digital sand gradually disappear over time just like mechanical sand timers
- Audible and visual alarms
- Flip one way to display count up/down timer, flip the other way to display the clock in 12- or 24-hour mode
- Memory recall

D. Big-Digit Dual Timer/Clock

- Display clock and timer simultaneously, or two independent timers
- Use one timer to count up, or use two timers to count down independently
- Audible and visual alarm

E. Multi-Function Stopwatch/Clock

- Quick start, quick stop timer features time, split, hourly chime, calendar, alarm
- 100 cm neck cord

F. Four Channel Timer/Clock

- Independently or simultaneously set time on four channels
- Audible and visual alarms signify elapsed time
- Easily toggle between channels and clock with top buttons
- Includes spring clip with magnetic back

	part no.	no. of channels	timing capacity	resolution	count direction	display digits, h	clock	alarm	battery	l x h x d, mm
A	HS24490D	Four	100 Hr.	1/100 Sec.	Up/down	6 mm	Yes	Yes	One LR44 1.5V	61 x 71 x 25
В	HS24490M	Three	20 Hr.	1/100 Sec.	Down	10.5 mm	Yes	Yes	One AAA	86 x 66 x 22
С	HS24671	One	99 Min.	1 Sec.	Up/down	15 mm	Yes	Yes	Three LR44	58 x 114 x 35
D	HS24780	Two	24 Hr.	1/100 Sec.	Up/down	25.5 mm	Yes	Yes	One AAA	142 x 97 x 20
E	HS24645	One	60 Min.	1/100 Sec.	Up	8.5 mm	Yes	Yes	One LR44 1.5V	87 x 78 x 21
F	HS24670	Four	99 Hr.	1/100 Sec.	Down	14 mm	Yes	Yes	Two LR44	73 x 59 x 13

A		F		N		Seastar™ Shaker	6
dapt-a-Rack™	11	Foam Racks	25, 59	Notebooks	91	Vortexer	5
ctic Squares®		Flip & Grip™	28			Safety Bulb Pipette Filler	33
Freezer Rack	52	Flat Pack Frz Box	16, 56	0		Safety Glasses Dispensers	82
Cryostorage Boxes	58	Floating Racks	25	OneRack® Test Tube Rack	18, 48	Scintillation Vial Rack	24, 4
itoclavable Bags	71	Foil Dispenser	89	Organizers	16, 46 77	Sealing	88. 8
_		Foil Rolls	89	Organizers Orbital Shaker	6	Shaker, Orbital	6
В		Forceps	63	Orbital Sriaker	0	Sharpie® Markers	73
g Sealers	71	Freezer Racks	52, 53,	P		Sharps Container	69
gs sealers	/1		54, 55	P		smartSlicer™	69
Autoclavable	71	Freezer Thermometer	61	Parafilm [®]	88	Shoe Covers	49
Biohazard	71	Funnel	69	Parafilm® Dispenser	78, 88	Storage	76-8
skets	83			Pearl™ .	27	Storage Bin	78
ou Bottle Rack	24, 48	G		Pen	73, 85	Sprout® Mini-Centrifuge	8
ou bottle Nack	67	Gloves/Mitts	70	Permanent Markers	73, 85	SmartSpatulas®	62. 6
ttle Carrier	69		80. 81	Petri Dish Dispenser	75	Spatulas	63
uffant Head Covers	49	Glove Box Holder	80, 81 70	Petri Dish Holder	75	Slide Mailers	35, 3
ullant Head Covers	49	Grabbit™ Temp Mitts		Petri Seal™	89	Slide	55, 5
С		Grab Rack™	11, 47	Phlebotomy	43, 44,	Box	40, 4
C		Gusto™ Mini-Centrifuge	9	,	45, 46,	Dispenser	37
rts	43				49	Holder	37
ll Spreaders	75	н		Pipette Controller	30, 31	Racks	35. 4
ntrifuge	8, 9	Holder		Pipettes	27	Nacks	55, 2
ntrifuge Bottle Rack	24	Bags	71	Pipette Filler	33	Storago	35, 4
amp-Ette®	29	Gloves	80, 81	Pipette Pitter	32	Storage	
ocks	92	KimWipes®	78, 81	Pipette Tip Disposal Box	33	Tues	55 77
lony Counter	72, 73	PetriDish	78, 81 75	Pipettor Clamp-Ette®	33 29	Tray	37
onical Centrifuge Tubes	72, 73 7	Pipettors	75 28, 29,	Pipettor Clamp-Ette® Pop-Up™ Rack	29	Slides	38
ontainer Seal™	/ 89	ripettors	28, 29, 78. 79	Pop-Up™ Rack Pressure Bulb	20 33	Staining Slide Tray Set	37
ontainer Seatim ool Containers	89 61	Tubos			33 23	Stainless Steel	
	60	Tubes	78, 79,	Puzzle Rack	23	Freezer Racks	52-5
oolers			83			Cell Spreader	75
ounters	49, 73			R		Bottle Carrier	69
over Glass	38	I		Racks			
yo	46.47	Ice Buckets	61	Cardboard	16, 17,	Т	
Boxes, Partitions	16, 17,	Inoculating Needle/Loop/	01	Caraboara	54, 56,	Tanana anatoma Aditta	70
	54, 56,	Picks	74		54, 50, 57	Temperature Mitts	70
	57	PICKS	/4	Cambridge Dathle		Test Tube Baskets	83
Cane Sleeves	59			Centrifuge Bottle	24	Thermometer	61
Labels	86, 87	K		Cuvette	25	Timers	91
Vials	51	Kimwipe® Holder	78, 81	Floating	25	Time Tracker®	91
Vial Canes	59	illimipe riolder	70,01	Foam	26, 59	Time Tracker® Mini	91
Vial Holders	59			Grab Rack™	11, 47	Tote Max™ Trays	46
ube Rack	22	L		Mega	78	Tourniquets	45
vette Rack	25	Lab Wipe Holder	78, 81	Microtube Rack	18	Transfer Pipettes	42
.vette naen		Labels	86, 87	OneRack®	18, 48	Transformer™ Cube	55, 1
D		Label Station	85	PCR®	12, 13,	Tubby® Container	83
		Laboratory Notebooks	91		15	Tubes	5, 7
spenser, Petri Dish	75	Lead Rings	70	Peg	18		
Dispenser, Reagent		Lens Tissue	39	Pop-Up™	20	v	
Reservoir	30	Light Box	73	Refrigerator	60		
spensing Bin	78, 79,	Light box	, ,	Rota-Rack [®]	22	Universal Tube Rack	11
	80, 81,			Snap-Together	19	Universal Caps	49
	82, 83	M		Test Tube	11, 18,	Urine .	
versified Biotech	84, 85,	MagLab™ Series	78	icse iabe	20, 21,	Rack	24, 4
TOTALICA DIOLECTI	86, 87,	MagRack™	78		24, 43,		
	88, 89	MagWipe™	78		24, 43, 48	V	
awor Organizora		MagPette™	78	Universal			
awer Organizers	77	MagBox TM	78	Universal	11	Vacuum/Pressure Bulb	33
oplet®	44, 47	Markers, Permanent	73	Wire	24	Vials, Cryogenic	51
oplet® Accessories/	44	Mega Racks	21, 43	Work-2-Store™	15, 51	Vortexer	5
serts	44, 45	Microcentrifuge	8, 9	Razor Blade	69		
ying Rack	83	Microscope	J, J	Reagent Reservoirs	30	W	
al Solution® Reservoir	30	Cover Glass	38	Reservoir	30		<i>C</i> =
ra Seal™	88		36 39	RF1000™ Pipette Controlle		Wash Bottles	67
raporter™	68	Digital		RF3000™ Pipette Controlle	r 31	Weighing Boats	64, 6
		Slides Microtube Back	38			Weighing Paper	65
E		Microtube Rack	18	S		Wire Drying Rack	83
C 15 1711	60	Mini-Centrifuge	8, 9		00	Wire Racks	24, 4
o-SmartFunnel™	69	Mini Light Box	73	Safety Dispenser	82	Work-2-Store™	15, 5
Count™ Colony Counter		Mini Magnifier	73	Sample Storage Tray	47	Work-2-Store™ Micro	15, 5
ectric Bag Sealers	71	MiniBin™ Foil Dispenser	89				
ewash Station	67						
Suggested Tempe	rature Ra	inges					
Acrylic (PMMA)		68 to 122°F (20 to 50)°C)	Polypropylene (PP)		32 to 250°F (0 to 121°C)
				. Otypiopytolic (i i /			,

Suggested Temperature Ranges			
Acrylic (PMMA)	68 to 122°F (20 to 50°C)	Polypropylene (PP)	32 to 250°F (0 to 121°C)
Acrylonitrile-butadiene-styrene (ABS)	14 to 194°F (-10 to 90°C)	Polymethylpentene (PMP)	68 to 347°F (20 to 175°C)
Latex/Natural Rubber	-4 to 176°F (-20 to 80°C)	Polyoxymethylene (POM)	-40 to 285°F (-40 to 140°C)
Polycarbonate (PC)	-320 to 250°F (-196 to 121°C)	Polystyrene (PS)	14 to 158°F (-10 to 70°C)
Polyethylene (PE)	-58 to 176°F (-50 to 80°C)	Silicone	-58 to 300°F (-50 to 260°C)

All dimensions are given in metric units. Contact us for a complete dimensional guide in English and metric units.

1 mm = 0.03937 inch

part no.	page	part no.	page	part no.	page	part no.	page	part no.	page
HEACRY-0500	86	HS10020	8	HS120072	60	HS120222	64	HS15092ZP	73
HEACRY-1000	86	HS10021	8	HS120072	60	HS120223	64	HS15092	73
HEACRY-1000	86	HS10022	8	HS120074	60	HS120224	64	HS15094	73
		HS10022	8	HS120074	60	HS120225	-	HS15994	63
HEACRY-2000	86		-				64		
HEACRY-2000(x)	86	HS1002A	71	HS120076	60	HS120226	64	HS15907	63
HEACSEAL-75R	89	HS1002B	71	HS120077	68	HS120227	64	HS15909	63
HEACSEAL-75W	89	HS1002C	71	HS120078	68	HS120241	18	HS15920	39
HEACSEAL-75Y	89	HS1003D	71	HS120082	85	HS120242	18	HS15941A	39
HEACSEAL-XLR	89	HS10044H	71	HS120083	85	HS120243	18	HS15941B	39
HEACSEAL-XLW	89	HS10050	9	HS120084	85	HS120244	18	HS15951A	37
HEACSEAL-XLY	89	HS100501	9	HS120085	48	HS120245	67	HS15979A	40
HEADS1-150	88	HS100502	9	HS120086	48	HS120246	67	HS15981A	37
HEADS2-500	88	HS100503	9	HS120087	48	HS120247	67	HS15981B	37
HEADS4-250	88	HS100504	9	HS120088	48	HS120248	67	HS15981C	37
HEADS4-500	88	HS100505	9	HS120089	48	HS120249	67	HS15982	36
HEADS5-150	88	HS100506	9	HS120090	48	HS120250	67	HS15983A	36
HEALCRY-1100(x)	86	HS10060	5	HS120091	47	HS120251	67	HS15983B	36
HEALCRY-1200(x)	86	HS1019B	67	HS120097	27	HS120252	67	HS15983G	36
HEALCRY-1258(x)	86	HS1020B	67	HS120098	27	HS120253	67	HS15984	37
HEALCRY-1700(x)	86	HS1021B	67	HS120099	27	HS120254	67	HS15986	36
HEALCRY-2380(x)	86	HS1031A	71	HS120100	27	HS120255	67	HS159871A	38
HEAMINI-1700	86	HS1031B	71	HS120101	27	HS120256	67	HS159871B	38
HEAMISL-1000	87	HS10320	71	HS120101	27	HS120257	67	HS159872A	38
HEAMISL-1000(x)	87	HS10321	71	HS120102	27	HS120257	80	HS159872B	38
HEAPSEAL-108B	89	HS10321	71	HS120103	27	HS120259	69	HS159872B	38
HEAPSEAL-108C	89	HS10323	71	HS120104	27	HS120260	69	HS159873B	38
HEAPSEAL-108C	89	HS1034A	70	HS120105	27	HS120261	46	HS159873C	38
HEAPSEAL-108W	89	HS1040A	70, 82	HS120107	81	HS120262	16, 56	HS159873D	38
HEAPSEAL-108Y	89	HS1040B	82	HS120107	45	HS1419A	64	HS159874B	38
HEARNBW-1000	87	HS1040C	82	HS120108	45	HS1419B	62	HS159874G	38
HEARNBW-1000	87	HS1041	70, 82	HS120109	45	HS1419C	62	HS159874G	38
	-	HS1042	82		45	HS1420A	-	HS159874P	38
HEARNBW-2000	86		-	HS120111			64		
HEARNBW-2100	86	HS120000	72	HS120112	21, 43	HS1420AA	64	HS159874W	38
HEARNBW-2200	86	HS120003	62	HS120113	21, 43	HS1420B	64	HS159874Y	38
HEARNBW-2300	86	HS120004	62	HS120114	21, 43	HS1420BB	64	HS159879A	38
HEARNBW-2400	86	HS120005	62	HS120115	21, 43	HS1420C	64	HS159879B	38
HEARNBW-2500	86	HS120006	62	HS120116	65	HS1420CC	64	HS159879C	38
HEARNBW-3000	87	HS120007	62	HS120117	65	HS1421A	64	HS159879D	38
HEARNBW-3100	87	HS120008	62	HS120118	65	HS1421B	64	HS159879E	38
HEARNBW-3200	87	HS120009	74	HS120172	77	HS1421C	64	HS159879F	38
HEARNBW-3300	87	HS120010	74	HS120172	47, 77	HS1422	64	HS159879G	38
HEASIDE-1000(x)	86	HS120011	74	HS120177	45	HS1423A	64	HS159879H	38
HEASPOT-1(x)00	87	HS120012	74	HS120178	45	HS1423AA	64	HS159879I	38
HEASPOT-2(x)	87	HS120013	74	HS120183	51	HS1423B	64	HS159879J	38
HEASPOT-3000	87	HS120014	74	HS120184	11	HS1423BB	64	HS159879K	38
HEASPOT-4000	87	HS120018	51	HS120185	11	HS1423C	64	HS159879L	38
HEASPOT-5000	87	HS120021	46	HS120186	11	HS1423CC	64	HS159879M	38
HEAT-SPOTS	87	HS120022	46	HS120187	11	HS1424A	64	HS159879N	38
HEAT-SPOTS-100	87	HS120023	46	HS120188	11	HS1424AA	64	HS15988H	55
HEAT-SPOTS-44	87	HS120024	46	HS120189	11	HS1424B	64	HS159890B	41, 82
HEAT-SPOTS-50	87	HS120025	46	HS120190	11	HS1424C	64	HS15989A	41
HEAT-SPOTS-75	87	HS120026	28	HS120191	11	HS14251A	64	HS15989B	41
HEATS-TNY	87	HS120032	14	HS120196	35	HS14251B	64	HS15989C	41
HEATSPOTS-(x)	87	HS120033	14	HS120197	35	HS14251C	64	HS15989E	41
HEATSPOTS-50(x)	87	HS120034	57	HS120201	14	HS14251D	64	HS15989M	41
HEATT-SWALL	87	HS120035	57	HS120202	14	HS1425A	64	HS15989P	41
HEATT-TNY	87	HS120036	57	HS120203	14	HS1425AA	64	HS15989R	41
HEATTGP-1000	87	HS120037	57	HS120204	14	HS1425B	64	HS15990A	40
HEATTGP-1050	87	HS120038	57	HS120205	18, 48	HS1425C	64	HS15990B	40
HEATTGP-1050(x)	87	HS120039	57	HS120206	18, 48	HS1426A	64	HS15990C	40
HEATTL(x)-1000	87	HS120040	57	HS120207	18, 48	HS1426AA	64	HS15991A	40
HEATTLW-1000	87	HS120041	57	HS120209	5	HS1426B	64	HS15991B	40
HEATTLW-2016	87	HS120042	14	HS120210	5	HS1426C	64	HS15991C	40
HEATTLW-2016(x)		HS120043	14	HS120212	5	HS1427A	64	HS15994A	41
HEATTS(x)-1000	87	HS120044	14	HS120214	5	HS1427AA	64	HS15994B	41
HEATTSW-2240	87	HS120052	68	HS120215	27	HS1427B	64	HS15994C	41
HEATTSW-2240(x)		HS120056	27	HS120216	27	HS1427C	64	HS15994D	41
HS100011	8	HS120057	27	HS120219	69	HS14521A	65	HS15994E	41
HS100012	6	HS120058	49	HS120220	16, 56	HS14521B	65	HS15994F	41
HS1000RFRR	30	HS120059	49	HS120220	54	HS14521C	65	HS15994G	41
HS1000RFU	30	HS120070	60	HS120221	16, 56	HS14522	65	HS15994M	41
HS1000RG	8	HS120071	60	HS120221	54	HS15092D	73	HS15994P	41
	-		- J		J.		, 5		

part no.	page	part no.	page
HS15994R	41	HS23108	48
HS15996A	41	HS23108	24, 48
HS15996B	41	HS23202A	51
HS15996C	41	HS23202N	51
HS15998C	63	HS23204N	51
HS1846	85	HS23205	59
HS20162A	29	HS23206	59
HS20162C	29	HS23210	59
HS20341A	35, 81	HS23215	24
HS20341A8	85	HS23215	24
HS20341B	85	HS23224	24
HS20341B	35, 81	HS23229B	59
HS20341C	85	HS23243A	83
HS20341C	35, 81	HS232461	24
HS20521A	30	HS23263A	81
HS20521B	30	HS23263B	81
HS20521C	30	HS23271A	55
HS20611	32	HS23300D	58
HS20612	32	HS23325A	58
HS20612M	32	HS23381B	58
HS20613	32	HS23381C	58
HS20613C	29	HS23381E	58
HS20613E	29	HS23401	79
HS20615M	32	HS23402	79
HS20620	29	HS23403	79
HS206203	29	HS23404	79
HS206204	29	HS23411	79 77
HS20622A HS20622B	33	HS23412	77 12
HS20623	33 33	HS2344A HS23451	25
HS2062A	29	HS23452	75
HS2062B	29	HS234521	81
HS20630A	33	HS234522	81
HS20630A	33	HS234523	78
HS20630C	33	HS234524	88
HS20630D	33	HS234525B	88
HS20630E	33	HS234525C	88
HS20631B	33	HS234525D	88
HS20632A	33	HS234525R	88
HS20632B	33	HS234526A	88
HS20632C	33	HS234526B	88
HS20635E	32	HS234526C	88
HS206371A	32	HS23453	83
HS206371B	32	HS23455	75
HS206371C	32	HS23457	80
HS206372A	32	HS23458	80
HS206372B	32	HS2345A	13
HS206372C	32	HS2345B	13
HS206373A	32	HS2345C	13
HS206373B	32	HS2345D	13
HS206373C	32	HS2345E	13
HS20721B	30	HS2345F	13
HS20721C	30	HS23460	85
HS20821A	30	HS23461A	13
HS2131B	25	HS23461B	13
HS2132A	25	HS23461C HS23461D	13
HS2133A	25		13
HS2134A HS2165A	25 25	HS234631 HS234634	29, 79 33
HS2165B	25	HS23471A	80
HS2165C	25	HS23471B	80
HS2166	25	HS23471C	80
HS2200A	44	HS23491A	80
HS2200B	44	HS23500	78
HS2201A	45	HS23501	78 78
HS2201B	45	HS23502	78 78
HS2202	45	HS23503	78
HS23051	19	HS23504	78
HS23052	19	HS23520A	89
HS23053A	19	HS23534A	89
HS23053A HS23072	19 48	HS23534A HS23536A	89 89

part no.	page	part no.
HS243071B	20	HS27515B
HS243071R	20	HS27515C
HS243071W	20	HS27515D
HS243071Y HS243073B	20	HS27551A HS27551B
HS243073B HS243073R	20	HS27551B HS27551C
HS243073W	20	HS27551D
HS243073Y	20	HS27552A
HS243077B	20	HS27552B
HS243077R	20	HS27552C
HS243077W	20	HS27552D
HS243077Y HS24311A	20	HS28230A HS28230B
HS24311B	21	HS28270
HS24312A	21	HS28270
HS24312B	21	HS28271
HS24318	20	HS28271
HS24319	20	HS28272
HS24320B	20	HS28280
HS24320P HS24322A	20 21, 43	HS2860A HS2860B
HS24322E	21, 43	HS2860C
HS24323A	21, 43	HS2860CB
HS24323E	21, 43	HS2860CR
HS24330A	11	HS2860CY
HS24371A	11, 47	HS2860E
HS24490D	92	HS2860F
HS24490M HS24645	92 92	HS2860G HS2860H
HS24651	91	HS2860M
HS24653	91	HS2860P
HS24670	92	HS2860T
HS24671	92	HS28621
HS24780	92	HS28622
HS2538A HS27501A	77 48	HS28623 HS28624
HS27501B	48	HS2862A
HS27501C	48	HS2862AB
HS27501D	48	HS2862AC
HS27502A	48	HS2862AD
HS27502B	48	HS2862AE
HS27502C HS27502D	48 48	HS2862D HS2862DA
HS27503A	18	HS2862DB
HS27503B	18	HS2862H
HS27503C	18	HS2862HA
HS27503D	18	HS2862HB
HS27504A	18	HS2862HC HS2862HD
HS27504B HS27504C	18 18	HS2862HE
HS27504D	18	HS2862K
HS27505A	18, 48	HS2862KA
HS27505B	18, 48	HS2862KB
HS27505C	18, 48	HS2862KC
HS27505D	18, 48	HS28630
HS27511A HS27511B	18, 46 18, 46	HS2864 HS28714K
HS27511C	18, 46	HS28721G
HS27511D	18, 46	HS28724B
HS27512A	18, 46	HS28729R
HS27512B	18, 46	HS29022A
HS27512C	18, 46	HS29022B
HS27512D HS27513A	18 18	HS29022C HS29022D
HS27513B	18	HS29022E
HS27513C	18	HS29022F
HS27513D	18	HS29022G
HS27514A	18	HS29025A
HS27514B	18	HS29025B
HS27514C HS27514D	18 18	HS29025C HS29025D

HS27514D

HS27515A

part no.	page
HS29025F	12
HS29025G	12
HS29025J	12
HS29040A	22
HS29040B	22
HS29041A	22
HS29050A	22
HS29060A	23
	31
HS3000	
HS3000RFRWH	31
HS300501	31
HS300502	31
HS300504	31
HS31210A	49
HS31210B	49
HS31210C	49
HS31210D	49
HS31210E	49
HS31210F	49
HS4010A	6
HS4010ARBG	6
HS4010ARMT	6
HS4010ARPW	6
HS4282	59
HS4283P	59
HS4284A	13
HS4289B	12
HS4323	7
HS4323K	7
HS4325	7
HS4422	7
HS4423	7
HS4426B	7
HS4426R	7
HS4427B	7
HS4427R	7
HS4427R	
HS4427R HS4427S	7
HS4427R HS4427S HS4428	7 7
HS4427R HS4427S HS4428 HS4429	7 7 7
HS4427R HS4427S HS4428	7 7
HS4427R HS4427S HS4428 HS4429	7 7 7
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL	7 7 7 30, 31
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFRP HS5360A	7 7 7 30, 31 30, 31 49
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFRP HS5360A	7 7 7 30, 31 30, 31 49
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFRP HS5360A HS5360B	7 7 7 30, 31 30, 31 49 49 74
HS4427R HS4427S HS4428 HS5000RFFIL HS5000RFRP HS5360A HS5360B HS6594 HS81121A	7 7 7 30, 31 30, 31 49 49 74 74
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFRP HS5360A HS5360B	7 7 7 30, 31 30, 31 49 49 74 74
HS4427R HS4427S HS4428 HS5000RFFIL HS5000RFRP HS5360A HS5360B HS6594 HS81121A	7 7 7 30, 31 30, 31 49 49 74 74
HS4427R HS4427S HS4428 HS5000RFFIL HS5000RFP HS5360A HS5360B HS6594 HS81121A HS81121B	7 7 7 30, 31 30, 31 49 49 74 74
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5060A HS5360A HS5360B HS6594 HS81121A HS81121B HS81121D	7 7 7 30, 31 30, 31 49 49 74 74 74 74
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5060A HS5360A HS5360B HS6594 HS81121A HS81121B HS81121D HS8151	7 7 7 30, 31 30, 31 49 74 74 74 74 74 75
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5060A HS5360A HS6594 HS81121A HS81121B HS81121C HS81121D HS8151	7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75
HS4427R HS4427S HS4428 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A	7 7 7 7 30, 31 30, 31 49 74 74 74 74 75 75
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFRP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A	7 7 7 30, 31 30, 31 49 74 74 74 74 75 75 75 91
HS4427R HS4427S HS4428 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A	7 7 7 7 30, 31 30, 31 49 74 74 74 74 75 75
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFRP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A	7 7 7 30, 31 30, 31 49 74 74 74 74 75 75 75 91
HS4427R HS4427S HS4428 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A HS8171B HS8610A HS8610B	7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91
HS4427R HS4427S HS4428 HS5000RFFIL HS5000RFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A HS8171B HS8610A HS8610B HS8610D HS86655	7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 91 75
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFPP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171B HS8610A HS8610A HS8610D HS86655 HS8881A	7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 91 91 75 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A HS8610A HS8610B HS8610D HS86655 HS8881A HS8881B	7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 91 91 75 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFPP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171B HS8610A HS8610A HS8610D HS86655 HS8881A	7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 91 91 75 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A HS8610A HS8610B HS8610D HS86655 HS8881A HS8881B	7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 91 91 75 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFRP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A HS8610A HS8610B HS8610D HS86655 HS8881A HS8881B	7 7 7 7 30, 31 30, 31 49 49 74 74 74 75 75 75 91 91 91 75 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A HS8171B HS8610A HS8610B HS8655 HS881A HS8881B HS8881C HS8881D HS8881D	7 7 7 7 30, 31 30, 31 49 74 74 74 74 75 75 75 75 91 91 91 76 70 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121C HS81121D HS8151 HS8171A HS8171A HS8171B HS8610A HS8610B HS8610D HS86655 HS881A HS8881B HS8881C HS8881D HS8882A HS8882B	7 7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 75 70 70 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121C HS81121D HS8151 HS8171A HS8171A HS8171B HS8610A HS8610B HS8610D HS86655 HS881A HS8881B HS8881C HS8881D HS8881C HS8881D HS8882A	7 7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 91 91 91 75 70 70 70 70 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A HS8171B HS8610A HS8610B HS8610D HS86655 HS881A HS881B HS881C HS8881D HS8881C HS8881D HS8882A HS8882B	7 7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 75 70 70 70 70 70 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121C HS81121D HS8151 HS8171A HS8171A HS8171B HS8610A HS8610B HS8610D HS86655 HS881A HS8881B HS8881C HS8881D HS8881C HS8881D HS8882A	7 7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 91 91 91 75 70 70 70 70 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A HS8171B HS8610A HS8610B HS8610D HS86655 HS881A HS881B HS881C HS8881D HS8881C HS8881D HS8882A HS8882B	7 7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 75 70 70 70 70 70 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8171A HS8171A HS8171B HS8610A HS8610B HS8610D HS86655 HS881A HS8881C HS8881B HS8881C HS8881C HS8882D HS8882D HS8882D	7 7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 91 75 70 70 70 70 70 70 70 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171B HS8610A HS8610B HS8660B HS8640B HS8610B HS8610B HS8610B HS8610B HS8610B HS8610B HS8610B HS8610B HS8810B HS8810B HS8810B HS8810B HS8810B HS8881B	7 7 7 7 30, 31 30, 31 49 74 74 74 74 75 75 75 91 91 91 70 70 70 70 70 70 70 70 35 36
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFRP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171B HS8610A HS8610B HS8660B HS8640D HS8655 HS881A HS881C HS881D HS8881C HS8881D HS8882C HS8882B HS8882C HS8882B HS8882C HS8882D HS8883	7 7 7 7 7 30, 31 30, 31 49 74 74 74 74 75 75 75 75 70 70 70 70 70 70 70 70 70 70 70 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171B HS8610A HS8610B HS8660B HS8610D HS86655 HS881A HS881B HS8881C HS8881D HS8882C HS8882D HS8882C HS8882D HS8882D HS8883 HS9902 HS9903 HS9904 HS99040A	7 7 7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 91 75 70 70 70 70 70 70 70 70 70 70 70 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A HS8171B HS8610A HS8610B HS8610D HS86655 HS881A HS8881B HS8881C HS8881D HS8881C HS8881D HS8882C HS8882D HS8882C HS8882D HS8883 HS9902 HS9903 HS9904 HS99040A	7 7 7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 91 91 91 75 70 70 70 70 70 70 70 70 70 70 70 35 36 36 35 35
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171B HS8610A HS8610B HS8660B HS8610D HS86655 HS881A HS881B HS8881C HS8881D HS8882C HS8882D HS8882C HS8882D HS8882D HS8883 HS9902 HS9903 HS9904 HS99040A	7 7 7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 75 91 91 91 75 70 70 70 70 70 70 70 70 70 70 70 70 70
HS4427R HS4427S HS4428 HS4429 HS5000RFFIL HS5000RFFP HS5360A HS5360B HS6594 HS81121A HS81121B HS81121C HS81121D HS8151 HS8171A HS8171A HS8171B HS8610A HS8610B HS8610D HS86655 HS881A HS8881B HS8881C HS8881D HS8881C HS8881D HS8882C HS8882D HS8882C HS8882D HS8883 HS9902 HS9903 HS9904 HS99040A	7 7 7 7 7 7 30, 31 30, 31 49 49 74 74 74 74 75 75 91 91 91 75 70 70 70 70 70 70 70 70 70 70 70 35 36 36 35 35

part no.

18, 48 18, 48 18, 48 18, 48

18, 48 18, 48

18, 48 18, 48

18, 48 18, 48

18, 48

HS29025D

HS29025E

18, 48

